

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### ACRYLAMIDE (FOR MOLECULAR BIOLOGY)

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : ACRYLAMIDE (FOR MOLECULAR BIOLOGY)

Product code : A0012800100

Identification of the product : Acrylamide  
CAS No :79-06-1  
EC No :201-173-7  
Annex No :616-003-00-0

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM  
Chaitanya Tower, 2nd Floor, Office # 206,  
Siddharth Nagar, S.V. Road,  
Goregaon (West), Mumbai - 400062,  
Maharashtra, India.  
Contact: +91 22 28725393 / 94 / 95  
Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : Carc. Cat. 2; R45  
Muta. Cat. 2; R46  
Repr. Cat. 3; R62  
T; R25-R48/23/24/25  
Xn; R20/21  
Xi; R36/38  
R43

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Carcinogenicity - Category 1B - Danger (CLP : Carc. 1B) H350  
Reproductive toxicity - Fertility - Category 2 - Warning (CLP : Repr. 2) H361  
Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -  
Category 3 - Warning (CLP : STOT SE 3) H335  
Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP :

## MATERIAL SAFETY DATA SHEET (MSDS)

### ACRYLAMIDE (FOR MOLECULAR BIOLOGY)

#### 2. Hazards identification -DSD (continued)

STOT RE 1) H372  
 Germ cell mutagenicity - Category 1B - Danger (CLP : Muta. 1B) H340  
 Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317  
 Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301  
 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319  
 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332  
 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315  
 Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312

#### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

##### Symbol(s)



##### Symbol(s)

: T : Toxic

##### R Phrase(s)

: R45 : May cause cancer.  
 R46 : May cause heritable genetic damage.  
 R20/21 : Harmful by inhalation and in contact with skin.  
 R25 : Toxic if swallowed.  
 R36/38 : Irritating to eyes and skin.  
 R43 : May cause sensitization by skin contact.  
 R48/23/24/25 : Toxic : danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.  
 R62 : Possible risk of impaired fertility.

##### S Phrase(s)

: S53 : Avoid exposure - obtain special instructions before use.  
 S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).

##### Contains

: Acrylamide

##### Labelling Regulation EC 1272/2008 (CLP)

##### Hazard pictograms



##### Signal words

: Danger

##### Hazard statements

: H301 : Toxic if swallowed.  
 H350 : May cause cancer.  
 H340 : May cause genetic defects.  
 H361f : Suspected of damaging fertility.  
 H312 : Harmful in contact with skin.  
 H319 : Causes serious eye irritation.  
 H315 : Causes skin irritation.  
 H317 : May cause an allergic skin reaction.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### ACRYLAMIDE (FOR MOLECULAR BIOLOGY)

#### 2. Hazards identification -DSD (continued)

H332 : Harmful if inhaled.  
H335 : May cause respiratory irritation.  
H372 : Causes damage to organs through prolonged or repeated exposure.

#### Precautionary statements

- **General** : P201: Obtain special instructions before use.
- **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.  
P271: Use only outdoors or in a well-ventilated area.  
P260: Do not breathe dust, fume, gas, mist, vapours, spray.  
P264: Wash thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P272: Contaminated work clothing should not be allowed out of the workplace.
- **Response** : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.  
P302+P352: IF ON SKIN : Wash with plenty of soap and water.  
P308+P313: If exposed or concerned : get medical advice.  
P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.  
P333+P313: If skin irritation or rash occurs : Get medical advice.  
P363: Wash contaminated clothing before reuse.  
P314: Get medical advice if you feel unwell.
- **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.  
P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Special labelling** : Restricted to professional users. (Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008)
- Contains** : Acrylamide

#### 2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

**Substance / Preparation** : Acrylamide  
CAS No :79-06-1  
EC No :201-173-7  
Annex No :616-003-00-0  
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Acrylamide	100 %	79-06-1	201-173-7	616-003-00-0	----	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 T; R25-48/23/24/25 Xn; R20/21 Xi; R36/38 R43

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ACRYLAMIDE (FOR MOLECULAR BIOLOGY)**
**3. Composition/information on ingredients (continued)**

 Carc. 1B \_ H350  
 Muta. 1B \_ H340  
 Acute Tox. 3 (oral) \_ H301  
 STOT RE 1 \_ H372  
 Acute Tox. 4 (skin) \_ H312  
 Acute Tox. 4 (inhal) \_ H332  
 Repr. 2 \_ H361f  
 Eye irrit 2 \_ H319  
 Skin Irrit. 2 \_ H315  
 STOT SE 3 \_ H335  
 Skin Sens. 1 \_ H317

Contains no other components or impurities which will influence the classification of the product.

**4. First aid measures**
**4.1. Description of first aid measures**

- Inhalation** : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Get medical advice. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Wash with plenty of soap and water. If skin irritation or rash occurs : Wash contaminated clothing before reuse.
- Eye contact** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.
- Ingestion** : Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Do NOT induce vomiting. Rinse mouth.

**4.2. Most important symptoms and effects, both acute and delayed**

- Symptoms relating to use** : May cause cancer. May cause genetic defects.  
 Causes damage to organs through prolonged or repeated exposure.  
 Suspected of damaging fertility.  
 Causes serious eye irritation.  
 Causes skin irritation.  
 May cause an allergic skin reaction. May cause respiratory irritation.  
 Swallowing a small quantity of this material will result in serious health hazard.  
 Repeated exposure to this material can result in absorption through skin causing significant health hazard.  
 Danger of serious damage to health by prolonged exposure through inhalation.

**4.3. Indication of any immediate medical attention and special treatment needed**

- General information** : Never give anything by mouth to an unconscious person.  
 If exposed or concerned : get medical advice.

**5. Fire-fighting measures**
**5.1. Extinguishing media**

## MATERIAL SAFETY DATA SHEET (MSDS)

### ACRYLAMIDE (FOR MOLECULAR BIOLOGY)

#### 5. Fire-fighting measures (continued)

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

#### 5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

#### 5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.
- For non-emergency personnel** : Evacuate unnecessary personnel.

#### 6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

#### 7.1. Precautions for safe handling

- Handling** : Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing dust, fume, gas, mist, vapours,

## MATERIAL SAFETY DATA SHEET (MSDS)

### ACRYLAMIDE (FOR MOLECULAR BIOLOGY)

#### 7. Handling and storage (continued)

- spray. Obtain special instructions before use. Eliminate all ignition sources if safe to do so. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash thoroughly after handling.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.
- Special precautions** : Avoid breathing dust, fume, gas, mist, vapours, spray.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

- Specific end use(s)** : None.

#### 8. Exposure controls/personal protection

##### 8.1. Exposure controls

- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment.
  - **Hand protection** : Wear protective gloves.
  - **Skin protection** : Wear suitable protective clothing.
  - **Eye protection** : Chemical goggles or safety glasses.
  - **Others** : When using, do not eat, drink or smoke.

##### 8.2. Control parameters

- Occupational Exposure Limits** : No data available.

#### 9. Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

- Physical state at 20 °C** : Solid.
- Colour** : White powder
- Odour** : Odorless
- Odour threshold** : No data available.
- pH value** : Not applicable.
- Melting point [°C]** : 83 - 850C

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ACRYLAMIDE (FOR MOLECULAR BIOLOGY)**
**9. Physical and chemical properties (continued)**

Decomposition point [°C]	: 840C
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 2400C
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 1250C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 0.007 mm Hg at 20 °C
Vapour pressure mm/Hg	: 0.007 mm Hg at 20 °C
Vapour density	: 2,45
Density [g/cm <sup>3</sup> ]	: 1,122
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity	: Not established.
------------	--------------------

**10.2. Chemical stability**

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

**10.3. Possibility of hazardous reactions**

Hazardous reactions	: Not established.
---------------------	--------------------

## MATERIAL SAFETY DATA SHEET (MSDS)

### ACRYLAMIDE (FOR MOLECULAR BIOLOGY)

#### 10. Stability and reactivity (continued)

##### 10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

##### 10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

##### 10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

#### 11. Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity

- Inhalation : Harmful if inhaled.
- Dermal : Harmful in contact with skin.
- Ingestion : Toxic if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.  
Causes skin irritation.  
May cause respiratory irritation.

Sensitization : May cause an allergic skin reaction.

Mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Toxic for reproduction : Suspected of damaging fertility.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

#### 12. Ecological information

##### 12.1. Toxicity

Toxicity information : Not established.

##### 12.2. Persistence - degradability

Persistence - degradability : Biodegradable.



**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ACRYLAMIDE (FOR MOLECULAR BIOLOGY)**
**12. Ecological information (continued)**
**12.3. Bioaccumulative potential**

Bioaccumulative potential : Not established.

**12.4. Mobility in soil**

Mobility in soil : Not established.

**12.5. Results of PBT and vPvB assessment**
**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**

Environmental precautions : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**
**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Special precautions** : Hazardous waste due to toxicity.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

Proper shipping name : ACRYLAMIDE, SOLID

UN N° : 2074

H.I. nr : 60

ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.



ADR - Classification code : T2

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ACRYLAMIDE (FOR MOLECULAR BIOLOGY)**
**14. Transport information (continued)**

ADR - Group	: III
ADR - Packing instructions	: P002 R001 LP002
ADR - Limited Quantity	: 5 KG
ADR - Tunnel code	: E : Passage forbidden through tunnels of category E.


**14.2. Sea transport (IMDG) [English only]**

Proper shipping name	: ACRYLAMIDE, SOLID
UN N°	: 2074
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: III
IMO-IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-A

**14.3. Air transport (ICAO-IATA) [English only]**

Proper shipping name	: ACRYLAMIDE, SOLID
UN N°	: 2074
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: III
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 670
- Passenger and Cargo - Maximum Quantity/Packing	: 100 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 677
- Cargo only - Maximum Quantity/Packing	: 200 kg
IATA - Limited Quantities	: 10 kg
ERG-Nr	: 6L

**15. Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

## MATERIAL SAFETY DATA SHEET (MSDS)

### ACRYLAMIDE (FOR MOLECULAR BIOLOGY)

#### 15. Regulatory information (continued)

- Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.
- REACH Restrictions - Annex XVII** : With the exception of those listed below:  
The components of this product are not subject to restrictions.  
Annex XVII
- REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

#### 15.2. Chemical Safety Assessment

- Chemical Safety Assessment** : It has not been carried out.

#### 16. Other information

- Revision** : Revision - See : \*
- Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
vPvB: very persistent and very bioaccumulative
- Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- List of relevant R phrases (heading 3)** : R20/21 : Harmful by inhalation and in contact with skin.  
R25 : Toxic if swallowed.  
R36/38 : Irritating to eyes and skin.  
R43 : May cause sensitization by skin contact.  
R45 : May cause cancer.  
R46 : May cause heritable genetic damage.  
R48/23/24/25 : Toxic : danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.  
R62 : Possible risk of impaired fertility.
- List of full text of H-statements in section 3** : H301 : Toxic if swallowed.  
H312 : Harmful in contact with skin.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H332 : Harmful if inhaled.  
H335 : May cause respiratory irritation.  
H340 : May cause genetic defects.  
H350 : May cause cancer.  
H361f : Suspected of damaging fertility.  
H372 : Causes damage to organs through prolonged or repeated exposure.
- Further information** : None.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ACRYLAMIDE (FOR MOLECULAR BIOLOGY)**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**