

MATERIAL SAFETY DATA SHEET (MSDS)**ALUMINIUM METAL FOIL LR****1. Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name : ALUMINIUM METAL FOIL LR

Product code : A0017500500

Identification of the product : Aluminium powder (stabilised)
CAS No: 7429-90-5
EC No :231-072-3
Annex No :013-002-00-1**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheetCompany identification : SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com**1.4. Emergency telephone number**

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD**2.1. Classification of the substance or mixture****Classification EC 67/548 or EC 1999/45**Classification : F; R11
R15**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**Physical hazards : Substances and mixtures, which in contact with water, emit flammable gases -
Category 1 - Danger (CLP : Water-react. 1) H260
Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225**2.2. Label elements****Labelling EC 67/548 or EC 1999/45**

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL FOIL LR

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)

: F : Highly flammable

R Phrase(s)

: R11 : Highly flammable.

R15 : Contact with water liberates highly flammable gases.

S Phrase(s)

: S2 : Keep out of the reach of children.

S7/8 : Keep container tightly closed and dry.

S43 : In case of fire, use .

Contains

: Aluminium powder (stabilised)

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Danger

Hazard statements

: H225 : Highly flammable liquid and vapour.

H260 : In contact with water releases flammable gases which may ignite spontaneously.

Precautionary statements

• General

: P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

• Prevention

: P223: Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P231+P232: Handle under inert gas. Protect from moisture.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P233: Keep container tightly closed.

• Response

: P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.

P335+P334: Brush off loose particles from skin. Immerse in cool water, wrap in wet bandages.

P370+P378: In case of fire: Use for extinction.

• Storage

: P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in well-ventilated place. Keep cool.

• Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL FOIL LR

2. Hazards identification -DSD (continued)

Contains : Aluminium powder (stabilised)

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Aluminium powder (stabilised)

EC No :231-072-3
Annex No :013-002-00-1
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Aluminium powder (stabilised)	100 %	7429-90-5	231-072-3	013-002-00-1	---	F+ R11 R15 ----- Flam. Liq. 2 _ H225 Water-react. 1 _ H260

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Immerse in cool water, wrap in wet bandages. Brush off loose particles from skin. Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Not expected to present a significant hazard under anticipated conditions of normal use.
Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

MATERIAL SAFETY DATA SHEET (MSDS)
ALUMINIUM METAL FOIL LR
5. Fire-fighting measures
5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Flammable class** : Highly flammable liquid and vapour.
- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.
- Technical measures** : Use special care to avoid static electric charges.
- Special precautions** : Remove ignition sources. No naked lights. No smoking.
- For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL FOIL LR

7. Handling and storage

7.1. Precautions for safe handling

Handling	: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Handle empty containers with care because residual vapours are flammable. Handle under inert gas. Keep away from any possible contact with water, because of violent reaction and possible flash fire. Protect from moisture.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting, ..., equipment.
Special precautions	: No naked lights. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Keep away from any possible contact with water, because of violent reaction and possible flash fire. Ground/bond container and receiving equipment. Protect from moisture. Keep container tightly closed.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s)	: None.
----------------------------	---------

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: Wear approved mask.
• Hand protection	: Wear protective gloves.
• Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits	: No data available.
-------------------------------------	----------------------

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

MATERIAL SAFETY DATA SHEET (MSDS)
ALUMINIUM METAL FOIL LR
9. Physical and chemical properties (continued)

Physical state at 20 °C	: Solid.
Colour	: Silver grey metal
Odour	: Odorless
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: 660.37 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 760 °C
Flammability (solid, gas)	: Highly flammable liquid and vapour. N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 23270C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 2,7
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity.

MATERIAL SAFETY DATA SHEET (MSDS)
ALUMINIUM METAL FOIL LR
10. Stability and reactivity (continued)

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : In contact with water releases flammable gases which may ignite spontaneously.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.
May release flammable gases.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)
ALUMINIUM METAL FOIL LR
12. Ecological information
12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Handle empty containers with care because residual vapours are flammable.

14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : ALUMINIUM POWDER, COATED
UN N° : 1309
H.I. nr : 40

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL FOIL LR

14. Transport information (continued)

ADR - Class : 4.1
Labelling - Transport : 4.1 : Flammable solids, self-reactive substances and desensitized explosives.



ADR - Classification code : F3
ADR - Group : III
ADR - Packing instructions : P002 R001 LP002
ADR - Limited Quantity : 5 KG
ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : ALUMINIUM POWDER, COATED
UN N° : 1309
IMO-IMDG - Class or division : 4.1 : Flammable solids, self-reactive substances and desensitized explosives.
IMO-IMDG - Packing group : III
IMO-IMDG - Packing instructions : P002 LP02
IMO-IMDG - Limited quantities : 5 kg
IMO-IMDG - Marine pollution : No
EMS-Nr : F-G S-G

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ALUMINIUM POWDER, COATED
UN N° : 1309
IATA - Class or division : 4.1 : Flammable solids, self-reactive substances and desensitized explosives.
IATA - Packing group : III
IATA - Passenger and Cargo Aircraft : ALLOWED
- Passenger and Cargo - Packing instruction : 446
- Passenger and Cargo - Maximum Quantity/Packing : 25 kg
IATA - Cargo only : ALLOWED
- Cargo only - Packing instruction : 449

MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document