

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : ALUMINIUM METAL POWDER LR

Product code : A0017700500

Identification of the product : Aluminium powder (stabilised)

CAS No :7429-90-5 EC No :231-072-3 Annex No :013-002-00-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM Chaitanya To

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : F; R11

R15

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Physical hazards : Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225

Substances and mixtures, which in contact with water, emit flammable gases -

Category 1 - Danger (CLP: Water-react. 1) H260

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s) : F : Highly flammable R **Phrase(s)** : R11 : Highly flammable.

R15: Contact with water liberates highly flammable gases.

S Phrase(s) : S2 : Keep out of the reach of children.

S7/8: Keep container tightly closed and dry.

S43: In case of fire, use.

Contains : Aluminium powder (stabilised)

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words : Danger

Hazard statements : H225 : Highly flammable liquid and vapour.

H260: In contact with water releases flammable gases which may ignite

spontaneously.

Precautionary statements

• **General** : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

• **Prevention** : P223: Keep away from any possible contact with water, because of violent reaction

and possible flash fire.

P231+P232: Handle under inert gas. Protect from moisture. P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection.

P233: Keep container tightly closed.

• Response : P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated

clothing. Rinse skin with water/shower.

P335+P334: Brush off loose particles from skin. Immerse in cool water, wrap in wet

bandages.

P370+P378: In case of fire: Use for extinction.

• **Storage** : P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in well-ventilated place. Keep cool.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

2. Hazards identification -DSD (continued)

Contains : Aluminium powder (stabilised)

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Aluminium powder (stabilised)

CAS No :7429-90-5 EC No :231-072-3 Annex No :013-002-00-1

Substance.

Substance name Contents CAS No EC No Annex No REACH Ref. Classification Aluminium powder (stabilised) : 100 % 7429-90-5 231-072-3 013-002-00-1 ---- F; R11

uminium powder (stabilised) : 100 % 7429-90-5 231-072-3 013-002-00-1 ---- F; R11 R15

Flam. Liq. 2 _ H225 Water-react. 1 _ H260

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Remove/Take off immediately all contaminated clothing. Brush off loose particles

from skin. Immerse in cool water, wrap in wet bandages. Wash with plenty of soap

and water.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Not expected to present a significant hazard under anticipated conditions of normal

use.

Not expected to present a significant hazard under anticipated conditions of normal

use.

Not expected to present a significant hazard under anticipated conditions of normal

use.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Flammable class : Highly flammable liquid and vapour.

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

Technical measures : Use special care to avoid static electric charges.

Special precautions : Remove ignition sources. No naked lights. No smoking.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash hands and other exposed areas with mild soap and water before eat, drink or

smoke and when leaving work. Handle empty containers with care because residual vapours are flammable. Handle under inert gas. Protect from moisture. Keep away from any possible contact with water, because of violent reaction and

possible flash fire.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed. Use

explosion-proof electrical, ventilating, lighting, ..., equipment.

Special precautions: No naked lights. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep in fireproof

place. Ground/bond container and receiving equipment. Keep container tightly closed. Protect from moisture. Keep away from any possible contact with water,

because of violent reaction and possible flash fire.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protectionHand protectionWear approved mask.Wear protective gloves.

Eye protection
 Others
 Chemical goggles or safety glasses.
 When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

9. Physical and chemical properties (continued)

Physical state at 20 °C : Solid.

Colour: Grey powderOdour: Odorless

Odour threshold: No data available.pH value: No data available.

Melting point [°C] : 660.37 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : 760 °C

Flammability (solid, gas) : N/A

Highly flammable liquid and vapour.

: N/A Flash point [°C] : 23270C Boiling point [°C] Initial boiling point [°C] : N/A : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg Vapour density : N/A : 2.7 Density [g/cm3] Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Insoluble in water

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A
Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

10. Stability and reactivity (continued)

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : In contact with water releases flammable gases which may ignite spontaneously.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

May release flammable gases.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Based on available data, the classification criteria are not met. Inhalation Dermal : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Ingestion Corrosion : Based on available data, the classification criteria are not met. Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. **Toxic for reproduction** : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. **Aspiration hazard**



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

12. Ecological information

12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Handle empty containers with care because residual vapours are flammable.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : ALUMINIUM POWDER, UNCOATED

UN N° : 1396 H.I. nr : 423



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

14. Transport information (continued)

ADR - Class : 4.3

Labelling - Transport : 4.3 : Contact with water liberates highly flammable gases.



ADR - Classification code : W2

W2

: 500 G

ADR - Group : 11 **ADR - Packing instructions** : P410

ADR - Limited Quantity

ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : ALUMINIUM POWDER, UNCOATED

UN N° : 1396

IMO-IMDG - Class or division : 4.3 : Contact with water liberates highly flammable gases.

IMO-IMDG - Packing group : 11 **IMO-IMDG - Packing instructions** : P410 **IMO-IMDG - Limited quantities** : 500 g **IMO-IMDG - Marine pollution** : No **EMS-Nr** : F-G S-O

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ALUMINIUM POWDER, UNCOATED

UN N° : 1396

IATA - Class or division : 4.3 : Contact with water liberates highly flammable gases.

IATA - Packing group : 11

IATA - Passenger and Cargo Aircraft : ALLOWED - Passenger and Cargo - Packing

instruction

- Passenger and Cargo - Maximum : 15 kg

Quantity/Packing

IATA - Cargo only : ALLOWED



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

14. Transport information (continued)

- Cargo only - Packing instruction : 490 - Cargo only - Maximum Quantity/ : 50 kg

Packing

IATA - Limited Quantites : 5 kg ERG-Nr : 4W

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.

regulations/legislation specific for the

substance or mixture

REACH Restrictions - Annex XVII: The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

: The components of this product are not subject to authorization.

List of relevant R phrases (heading 3): R11: Highly flammable.

R15: Contact with water liberates highly flammable gases.

List of full text of H-statements in

section 3

: H225 : Highly flammable liquid and vapour.

H260: In contact with water releases flammable gases which may ignite

spontaneously.

Further information : None.

Page: 10



MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM METAL POWDER LR

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document