

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ALUMINIUM CHLORIDE LR (HEXAHYDRATE)**

**1. Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Trade name : ALUMINIUM CHLORIDE LR (HEXAHYDRATE)

Product code : A0018105000

Identification of the product : ALUMINIUM CHLORIDE (HEXAHYDRATE)  
CAS No :7784-13-6  
EC No :231-208-1  
Annex No :013-003-00-7

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

**1.3. Details of the supplier of the safety data sheet**

Company identification : SUVCHEM  
Chaitanya Tower, 2nd Floor, Office # 206,  
Siddharth Nagar, S.V. Road,  
Goregaon (West), Mumbai - 400062,  
Maharashtra, India.  
Contact: +91 22 28725393 / 94 / 95  
Email ID: info@suvchem.com/care@suvchem.com

**1.4. Emergency telephone number**

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

**2. Hazards identification -DSD**

**2.1. Classification of the substance or mixture**

**Classification EC 67/548 or EC 1999/45**

Classification : Xi; R36

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -  
Category 3 - Warning (CLP : STOT SE 3) H335  
Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319  
Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

**2.2. Label elements**

**Labelling EC 67/548 or EC 1999/45**

## MATERIAL SAFETY DATA SHEET (MSDS)

### ALUMINIUM CHLORIDE LR (HEXAHYDRATE)

#### 2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)

: Xi : Irritant

R Phrase(s)

: R36 : Irritating to eyes.  
R37 : Irritating to respiratory system.  
R38 : Irritating to skin.

S Phrase(s)

: S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S36 : Wear suitable protective clothing.

#### Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Warning

Hazard statements

: H319 : Causes serious eye irritation.  
H315 : Causes skin irritation.  
H335 : May cause respiratory irritation.

Precautionary statements

• **Prevention**

: P280: Wear protective gloves, protective clothing, eye protection, face protection.  
P271: Use only outdoors or in a well-ventilated area.  
P261: Avoid breathing dust, fume, gas, mist, vapours, spray.  
P264: Wash thoroughly after handling.

• **Response**

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.  
P332+P313: If skin irritation occurs : Get medical advice.  
P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.  
P363: Wash contaminated clothing before reuse.

• **Storage**

: P403+P233: Store in well-ventilated place. Keep container tightly closed.  
P405: Store locked up.

• **Disposal considerations**

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

## MATERIAL SAFETY DATA SHEET (MSDS)

### ALUMINIUM CHLORIDE LR (HEXAHYDRATE)

#### 3. Composition/information on ingredients

**Substance / Preparation** : ALUMINIUM CHLORIDE (HEXAHYDRATE)  
 CAS No :7784-13-6  
 EC No :231-208-1  
 Annex No :013-003-00-7  
 Substance.

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

**Inhalation** : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.

**Skin contact** : If skin irritation occurs : Get medical advice. Specific treatment (see on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.

**Eye contact** : Get medical advice. If eye irritation persists : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

**Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

##### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Causes serious eye irritation.  
 Causes skin irritation. May cause respiratory irritation.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

##### 5.3. Advice for fire-fighters

## MATERIAL SAFETY DATA SHEET (MSDS)

### ALUMINIUM CHLORIDE LR (HEXAHYDRATE)

#### 5. Fire-fighting measures (continued)

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.
- For non-emergency personnel** : Evacuate unnecessary personnel.

##### 6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

##### 6.3. Methods and material for containment and cleaning up

- Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

##### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

- Handling** : Wash thoroughly after handling. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.
- Special precautions** : Avoid breathing dust, fume, gas, mist, vapours, spray.

##### 7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

##### 7.3. Specific end use(s)

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ALUMINIUM CHLORIDE LR (HEXAHYDRATE)**
**7. Handling and storage (continued)**

Specific end use(s) : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

Personal protection : Avoid all unnecessary exposure.

- Respiratory protection : Wear approved mask.
- Hand protection : Wear protective gloves.
- Skin protection : Wear suitable protective clothing.
- Eye protection : Chemical goggles or safety glasses.
- Others : When using, do not eat, drink or smoke.

**8.2. Control parameters**

Occupational Exposure Limits : No data available.

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state at 20 °C : Solid.

Colour : White crystalline

Odour : Odorless

Odour threshold : No data available.

pH value : Not applicable.

Melting point [°C] : 100 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

Flash point [°C] : N/A

Boiling point [°C] : N/A

Initial boiling point [°C] : N/A

Final boiling point [°C] : N/A

Evaporation rate : N/A

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : 1 mm Hg at 100 °C

Vapour density : N/A

## MATERIAL SAFETY DATA SHEET (MSDS)

### ALUMINIUM CHLORIDE LR (HEXAHYDRATE)

#### 9. Physical and chemical properties (continued)

Density [g/cm <sup>3</sup> ]	: 2,398
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 2.5 - 3.5
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

#### 9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

#### 10. Stability and reactivity

##### 10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

##### 10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

##### 10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

##### 10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

##### 10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

##### 10.6. Hazardous decomposition products

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
----------------------------------	---

## MATERIAL SAFETY DATA SHEET (MSDS)

### ALUMINIUM CHLORIDE LR (HEXAHYDRATE)

#### 11. Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Causes serious eye irritation.  
 Causes skin irritation.  
 May cause respiratory irritation.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

#### 12. Ecological information

##### 12.1. Toxicity

**Toxicity information** : Not established.

##### 12.2. Persistence - degradability

**Persistence - degradability** : Biodegradable.

##### 12.3. Bioaccumulative potential

**Bioaccumulative potential** : Not established.

##### 12.4. Mobility in soil

**Mobility in soil** : Not established.

##### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

##### 12.6. Other adverse effects

## MATERIAL SAFETY DATA SHEET (MSDS)

### ALUMINIUM CHLORIDE LR (HEXAHYDRATE)

#### 12. Ecological information (continued)

**Environmental precautions** : Avoid release to the environment.

#### 13. Disposal considerations

##### 13.1. Waste treatment methods

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

#### 14. Transport information

##### 14.1. Land transport (ADR-RID)

**General information** : Not regulated.

##### 14.2. Sea transport (IMDG) [English only]

**General information** : Not regulated.

##### 14.3. Air transport (ICAO-IATA) [English only]

**General information** : Not regulated.

#### 15. Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.

**REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions.

**REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

##### 15.2. Chemical Safety Assessment

**Chemical Safety Assessment** : It has not been carried out.

#### 16. Other information

**Revision** : Revision - See : \*

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
vPvB: very persistent and very bioaccumulative



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ALUMINIUM CHLORIDE LR (HEXAHYDRATE)**

**16. Other information (continued)**

<b>Sources of key data used</b>	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
<b>Further information</b>	: None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**