OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINIUM SULPHATE LR (18H2O)

1. Identification of the substance/mixture and of the company/undertaking	
<u>1.1. Product identifier</u> Trade name	: ALUMINIUM SULPHATE LR (18H2O)
Product code Identification of the product	: A0019705000 : ALUMINIUM SULPHATE PURIFIED (18 -hydrate) 98% CAS No :7784-31-8
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use	: Industrial. For professional use only.
<u>1.3. Details of the supplier of the s</u>	<u>afety data sheet</u>
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com
<u>1.4. Emergency telephone number</u>	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or l	<u>EC 1999/45</u>
Classification	: Xi; R41
Hazard Class and Category	Code(s), Regulation (EC) No 1272/2008 (CLP)
Health hazards	: Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318
2.2. Label elements	
Labelling EC 67/548 or EC 1	<u>999/45</u>
Symbol(s)	

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) ALUMINIUM SULPHATE LR (18H2O)

2. Hazards identification -DSD (continued)
Symbol(s) R Phrase(s) S Phrase(s)	 : Xi : Irritant : R41 : Risk of serious damage to eyes. : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S39 : Wear eye/face protection.
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>
Hazard pictograms	
Signal words	: Danger
Hazard statements	: H318 : Causes serious eye damage.
Precautionary statements	
 Prevention Response 	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
3. Composition/information on	ingredients
Substance / Preparation	: ALUMINIUM SULPHATE PURIFIED (18 -hydrate) 98% CAS No :7784-31-8 Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first ai	d measures
Inhalation	: Assure fresh air breathing. Allow the victim to rest.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.
4.2. Most important symp	toms and effects, both acute and delayed

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) ALUMINIUM SULPHATE LR (18H2O)

4. First aid measures (continued)	
Symptoms relating to use	: Causes serious eye damage.
4.3. Indication of any immediate med	ical attention and special treatment needed
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
5. Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from the	substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
6. Accidental release measures	

6.1. Personal precautions, protective	e equipment and emergency procedures
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for containment and cleaning up	
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.



MATERIAL SAFETY DATA SHEET (MSDS) ALUMINIUM SULPHATE LR (18H2O)

6. Accidental release measures (continued)

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

T.1. Precautions for safe handlingHandling: Wash thoroughly after handling.Technical protective measures: Provide good ventilation in process area to prevent formation of vapour.7.2. Conditions for safe storage, including any incompatibilitiesStorage: Keep only in the original container in a cool, well ventilated place. Keep container
closed when not in use.Storage - away from: Storag bases. Strong acids. Sources of ignition. Direct sunlight.7.3. Specific end use(s): None.

8. Exposure controls/personal protection

8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear approved mask.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.



MATERIAL SAFETY DATA SHEET (MSDS) ALUMINIUM SULPHATE LR (18H2O)

9. Physical and chemical properties (continued)

Colour	: White powder
Odour	: N/A
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 86 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 3 - 4
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity

: Not established.

10.2. Chemical stability



MATERIAL SAFETY DATA SHEET (MSDS) ALUMINIUM SULPHATE LR (18H2O)

10. Stability and reactivity (continued	d)
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reaction	ns
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition produ	ucts
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Based on available data, the classification criteria are not met.
Corrosion	: Causes serious eye damage.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>

Toxicity information

: Not established.



MATERIAL SAFETY DATA SHEET (MSDS) ALUMINIUM SULPHATE LR (18H2O)

<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB asses	sment
Results of PBT and vPvB assessmer	nt : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
14. Transport information	
14.1. Land transport (ADR-RID)	
General information	: Not regulated.
<u>14.2. Sea transport (IMDG) [English c</u>	only]
General information	: Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

12. Ecological information (continued)

General information : Not regulated.



MATERIAL SAFETY DATA SHEET (MSDS) ALUMINIUM SULPHATE LR (18H2O)

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for t	: Ensure all national/local regulations are observed. he
substance or mixture REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	: The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
16. Other information	
Revision	: Revision - See : *
Revision Abbreviations and acronyms	: Revision - See : * : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative

Further information

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

: None.

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document