

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINON POWDER AR

1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: ALUMINON POWDER AR	
Product code Identification of the product	: A002000025 : ALUMINONE CAS No :596-58-4	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95	
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]	

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45		
Classification	: Xi; R36/38	
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)		
Health hazards	: Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319	
2.2. Label elements		
Labelling EC 67/548 or EC 1999/45		
Symbol(s)	×	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINON POWDER AR

2. Hazards identification -DSD (continued)	
Symbol(s) R Phrase(s) S Phrase(s)	 Xi : Irritant R36/38 : Irritating to eyes and skin. S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36 : Wear suitable protective clothing.
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>
Hazard pictograms	
Signal words	: Warning
Hazard statements	: H319 : Causes serious eye irritation. H315 : Causes skin irritation.
Precautionary statements	
Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P264: Wash thoroughly after handling.
• Response	 P302+P352: IF ON SKIN : Wash with plenty of soap and water. P332+P313: If skin irritation occurs : Get medical advice. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363: Wash contaminated clothing before reuse.
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients	
Substance / Preparation	: ALUMINONE CAS No :596-58-4 Substance.
Contains no other components of	r impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measur	<u>es</u>
Inhalation Skin contact	: Assure fresh air breathing. Allow the victim to rest. : Wash contaminated clothing before reuse. Wash with plenty of soap and water. If
	skin irritation occurs : Get medical advice. Specific treatment (see on this label).



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINON POWDER AR

4. First aid measures (continued)		
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.	
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	: Causes serious eye irritation. Causes skin irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
5 Eiro fighting mossures		
5. Fire-fighting measures		
5.1. Extinguishing media		

Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINON POWDER AR

6. Accidental release measures (continued)		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for conta	6.3. Methods and material for containment and cleaning up	
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		
See section 8. Exposure controls/pers	sonal protection	
7. Handling and storage		
7.1. Precautions for safe handling		
Handling	: Wash thoroughly after handling. Wash thoroughly after handling.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, inc	cluding any incompatibilities	
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.	
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
<u>7.3. Specific end use(s)</u>		
Specific end use(s)	: None.	

8. Exposure controls/personal protection

8.1. Exposure controls

Personal p	protection
------------	------------

Respiratory protection

- Hand protection
- Skin protection
- Eye protection
- Others

- : Avoid all unnecessary exposure.
- : Wear approved mask.
- : Wear protective gloves.
- : Wear suitable protective clothing.
- : Chemical goggles or safety glasses.
- : When using, do not eat, drink or smoke.

8.2. Control parameters



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINON POWDER AR

8. Exposure controls/personal protection (continued)

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Brown red
Odour	: N/A
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 220 - 225 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A : N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A : N/A
Vapour pressure mm/Hg	: N/A : N/A
Vapour pressure mining Vapour density	: N/A : N/A
Density [g/cm3]	: N/A : N/A
Relative density, gas (air=1)	: N/A : N/A
	: N/A : N/A
Relative density, liquid (water=1)	. N/A : N/A
Solubility in water [% weight]	
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINON POWDER AR

10. Stability and reactivity 10.1. Reactivity : Not established. Reactivity 10.2. Chemical stability **Chemical stability** : Stable under recommended storage conditions. 10.3. Possibility of hazardous reactions Hazardous reactions : Not established. 10.4. Conditions to avoid Conditions to avoid : Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials Materials to avoid : Strong acids. Strong bases. 10.6. Hazardous decomposition products Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. Causes skin irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINON POWDER AR

12. Ecological information 12.1. Toxicity : Not established. **Toxicity information** 12.2. Persistence - degradability Persistence - degradability : Biodegradable. 12.3. Bioaccumulative potential : Not established. **Bioaccumulative potential** 12.4. Mobility in soil : Not established. Mobility in soil 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. 12.6. Other adverse effects : Avoid release to the environment. **Environmental precautions** 13. Disposal considerations 13.1. Waste treatment methods General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. 14. Transport information 14.1. Land transport (ADR-RID) **General information** : Not regulated. 14.2. Sea transport (IMDG) [English only] **General information** : Not regulated. 14.3. Air transport (ICAO-IATA) [English only]



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ALUMINON POWDER AR

14. Transport information (continued)	
General information	: Not regulated.
15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. 1e
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
16. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging or substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

: None.

Further information

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

• SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.

- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document