

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

1. Identification of the substance/mixture and of the company/undertaking		
<u>1.1. Product identifier</u> Trade name	: AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)	
Product code Identification of the product	: A0024000100 : AMMONIUM CERIC NITRATE 98% CAS No :16774-21-3	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the sa	ifety data sheet	
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]	

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification	EC	67/548	or EC	1999/45
elacomoution		01/040		1000/-10

Classification	: Xn; R22
	Xi: R36

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -
Category 3 - Warning (CLP : STOT SE 3) H335
Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315
Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319
Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

2. Hazards identification -DSD	(continued)
Symbol(s)	* *
Symbol(s)	: O : Oxidizing Xn : Harmful Xi : Irritant
R Phrase(s)	: R22 : Harmful if swallowed. R36 : Irritating to eyes. R37 : Irritating to respiratory system. R38 : Irritating to skin.
S Phrase(s)	 S17 : Keep away from combustible material. S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36 : Wear suitable protective clothing.
Labelling Regulation EC 1272/2	<u>2008 (CLP)</u>
Hazard pictograms	
Signal words	: Warning
Hazard statements	 H302 : Harmful if swallowed. H319 : Causes serious eye irritation. H315 : Causes skin irritation. H335 : May cause respiratory irritation.
Precautionary statements	
Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response	 P302+P352: IF ON SKIN : Wash with plenty of soap and water. P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. P332+P313: If skin irritation occurs : Get medical advice. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P363: Wash contaminated clothing before reuse.
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.
Disposal considerations	 P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

2. Hazards identification -DSD (continued)		
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
3. Composition/information on	ingredients	
Substance / Preparation	: AMMONIUM CERIC NITRATE 98% CAS No :16774-21-3 Substance.	
Hazardous component(s) Contains no other components or	: This product is not hazardous but contains hazardous components. mpurities which will influence the classification of the product.	
4. First aid measures		
4.1. Description of first aid mea	sures	
Inhalation	: Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.	
Skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Specific treatment (see on this label). Get medical advice. If skin irritation occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse.	

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists : Get medical advice.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation.
	Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek
	medical advice (show the label where possible).



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

5. Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from the	e substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for conta	inment and cleaning up	
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling



MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

Handling and storage (continue	ed)
Handling	: Wash thoroughly after handling. Wash thoroughly after handling. Wash thoroughly after handling. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray.
7.2. Conditions for safe storage, in Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(<u>s)</u>	
Specific end use(s)	: None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection



Personal protection	: Avoid all unnecessary exposure.	
 Respiratory protection 	: Wear approved mask.	
 Hand protection 	: Wear protective gloves.	
 Skin protection 	: Wear suitable protective clothing.	
 Eye protection 	: Chemical goggles or safety glasses.	
Others	: When using, do not eat, drink or smoke.	
8.2. Control parameters		

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Odour threshold : No data available.



MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

9. Physical and chemical properties (continued) Melting point [°C] : No data available. Decomposition point [°C] : N/A Flammability (solid, gas) : N/A Boiling point [°C] : N/A **Evaporation rate** : N/A : N/A Vapour pressure mm/Hg : N/A Vapour density Density [g/cm3] : N/A : N/A Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : 141g/100ml water @ 2 Solubility in water [% weight] : No data available. Log Pow octanol / water at 20°C Solubility : N/A 9.2. Other information : N/A **Explosive properties** : No data available. **Oxidising properties** 10. Stability and reactivity 10.1. Reactivity : Not established. Reactivity 10.2. Chemical stability **Chemical stability** : Stable under recommended storage conditions. 10.3. Possibility of hazardous reactions : Not established. **Hazardous reactions** 10.4. Conditions to avoid Conditions to avoid : Direct sunlight. Extremely high or low temperatures. 10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

10. Stability and reactivity (continued)

11.1. Information on toxicological effects

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Harmful if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u>12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB asses	sment
Results of PBT and vPvB assessmer	nt : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

12. Ecological information (continued)

12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
14. Transport information	
<u>14.1. Land transport (ADR-RID)</u>	
Proper shipping name UN N° H.I. nr ADR - Class Labelling - Transport	: NITRATES, INORGANIC, N.O.S. (AMMONIUM CERIC NITRATE 98%) : 1477 : 50 : 5.1 : 5.1 : Oxidizing substances.
ADR - Classification code	: O2 O2 O2 O2 O2 O2 O2 O2
ADR - Group	: 11
ADR - Packing instructions	: P002
ADR - Limited Quantity	: 1 KG
ADR - Tunnel code	: E : Passage forbidden through tunnels of category E.



MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

14. Transport information (continued)

14.2. Sea transport (IMDG) [English only]

Proper shipping name	: NITRATES, INORGANIC, N.O.S. (AMMONIUM CERIC NITRATE 98%)
UN N°	: 1477
IMO-IMDG - Class or division	: 5.1 : Oxidizing substances.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P002
IMO-IMDG - Limited quantities	: 1 kg
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-Q

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name UN N°	: NITRATES, INORGANIC, N.O.S. (AMMONIUM CERIC NITRATE 98%) : 1477
IATA - Class or division	: 5.1 : Oxidizing substances.
IATA - Packing group	: II
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 558
- Passenger and Cargo - Maximum Quantity/Packing	: 5 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 562
- Cargo only - Maximum Quantity/ Packing	: 25 kg
IATA - Limited Quantites	: 2.5 kg
ERG-Nr	: 5L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment



MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM CERIC NITRATE LR (CERIC AMMONIUM NITRATE)

Chemical Safety Assessment	: It has not been carried out.
6. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information	: None.

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
 - SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document