

## MATERIAL SAFETY DATA SHEET (MSDS)

### AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)  
Product code : A0024200500  
Identification of the product : AMMONIUM CERIC SULFATE EXTRA PURE 98%  
CAS No :10378-47-9

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM  
Chaitanya Tower, 2nd Floor, Office # 206,  
Siddharth Nagar, S.V. Road,  
Goregaon (West), Mumbai - 400062,  
Maharashtra, India.  
Contact: +91 22 28725393 / 94 / 95  
Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : Xi; R36

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -  
Category 3 - Warning (CLP : STOT SE 3) H335  
Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315  
Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

##### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

**MATERIAL SAFETY DATA SHEET (MSDS)**
**AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)**
**2. Hazards identification -DSD (continued)**

Symbol(s)



Symbol(s)

: Xi : Irritant

R Phrase(s)

 : R36 : Irritating to eyes.  
 R37 : Irritating to respiratory system.  
 R38 : Irritating to skin.

S Phrase(s)

 : S22 : Do not breathe dust.  
 S24 : Avoid contact with skin.  
  
 S36 : Wear suitable protective clothing.

**Labelling Regulation EC 1272/2008 (CLP)**

Hazard pictograms



Signal words

: Warning

Hazard statements

 : H319 : Causes serious eye irritation.  
 H315 : Causes skin irritation.  
 H335 : May cause respiratory irritation.

Precautionary statements

• Prevention

 : P280: Wear protective gloves, protective clothing, eye protection, face protection.  
 P271: Use only outdoors or in a well-ventilated area.  
 P261: Avoid breathing dust, fume, gas, mist, vapours, spray.  
 P264: Wash thoroughly after handling.

• Response

 : P302+P352: IF ON SKIN : Wash with plenty of soap and water.  
 P332+P313: If skin irritation occurs : Get medical advice.  
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.  
 P363: Wash contaminated clothing before reuse.

• Storage

 : P403+P233: Store in well-ventilated place. Keep container tightly closed.  
 P405: Store locked up.

• Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**2.3. Other hazards**

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)**
**3. Composition/information on ingredients**

**Substance / Preparation** : AMMONIUM CERIC SULFATE EXTRA PURE 98%  
 CAS No :10378-47-9  
 Substance.

Contains no other components or impurities which will influence the classification of the product.

**4. First aid measures**
**4.1. Description of first aid measures**

**Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Skin contact** : Specific treatment (see on this label). Get medical advice. Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs :

**Eye contact** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.

**Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms relating to use** : Causes serious eye irritation.  
 Causes skin irritation. May cause respiratory irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**5. Fire-fighting measures**
**5.1. Extinguishing media**

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

**5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

**5.3. Advice for fire-fighters**

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.

## MATERIAL SAFETY DATA SHEET (MSDS)

### AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)

#### 5. Fire-fighting measures (continued)

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

**For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

##### 6.2. Environmental precautions

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

##### 6.3. Methods and material for containment and cleaning up

**Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust.  
Store away from other materials.

##### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

**Handling** : Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.  
Wash thoroughly after handling.  
Wash thoroughly after handling.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

**Special precautions** : Avoid breathing dust, fume, gas, mist, vapours, spray.

##### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

##### 7.3. Specific end use(s)

**MATERIAL SAFETY DATA SHEET (MSDS)**
**AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)**
**7. Handling and storage (continued)**

Specific end use(s) : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: Wear approved mask.
• Hand protection	: Wear protective gloves.
• Skin protection	: Wear suitable protective clothing.
• Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.

**8.2. Control parameters**

Occupational Exposure Limits : No data available.

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state at 20 °C	: Solid.
Colour	: Yellowish orange
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 130 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A

**MATERIAL SAFETY DATA SHEET (MSDS)**
**AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)**
**9. Physical and chemical properties (continued)**

Density [g/cm <sup>3</sup> ]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Slightly soluble in
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity	: Not established.
------------	--------------------

**10.2. Chemical stability**

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

**10.3. Possibility of hazardous reactions**

Hazardous reactions	: Not established.
---------------------	--------------------

**10.4. Conditions to avoid**

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

**10.5. Incompatible materials**

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

**10.6. Hazardous decomposition products**

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
----------------------------------	---

**MATERIAL SAFETY DATA SHEET (MSDS)**
**AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)**
**11. Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Causes serious eye irritation.  
 Causes skin irritation.  
 May cause respiratory irritation.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

**12. Ecological information**
**12.1. Toxicity**

**Toxicity information** : Not established.

**12.2. Persistence - degradability**

**Persistence - degradability** : Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not established.

**12.4. Mobility in soil**

**Mobility in soil** : Not established.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**



**MATERIAL SAFETY DATA SHEET (MSDS)**
**AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)**
**12. Ecological information (continued)**

**Environmental precautions** : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

**General information** : Not regulated.

**14.2. Sea transport (IMDG) [English only]**

**General information** : Not regulated.

**14.3. Air transport (ICAO-IATA) [English only]**

**General information** : Not regulated.

**15. Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.

**REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions.

**REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

**15.2. Chemical Safety Assessment**

**Chemical Safety Assessment** : It has not been carried out.

**16. Other information**

**Revision** : Revision - See : \*

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
vPvB: very persistent and very bioaccumulative



## MATERIAL SAFETY DATA SHEET (MSDS)

**AMMONIUM CERIC SULPHATE LR (CERIC AMMONIUM SULPHATE)****16. Other information (continued)**

<b>Sources of key data used</b>	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
<b>Further information</b>	: None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**