

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	: AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)
Product code	: A0025900500
Identification of the product	: AMMONIUM NICKEL SULFATE (HEXAHYDRATE) EXTRA PURE CAS No :7785-20-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use	: Industrial. For professional use only.
-----	--

1.3. Details of the supplier of the safety data sheet

Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com
------------------------	--

1.4. Emergency telephone number

Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]
-----------	--

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: T; R23 Xn; R20 Xn ; R42 N; R50
----------------	---

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards	: Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP : STOT RE 1) H372 Respiratory sensitization - Category 1 - Danger (CLP : Resp. Sens. 1) H334 Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302
Environmental hazards	: Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 4 (CLP :

MATERIAL SAFETY DATA SHEET (MSDS)
AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)
2. Hazards identification -DSD (continued)

Aquatic Chronic 4) H413

2.2. Label elements
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

 : T : Toxic
 N : Dangerous for the environment

R Phrase(s)

 : R20 : Harmful by inhalation.
 R22 : Harmful if swallowed.
 R23 : Toxic by inhalation.
 R42 : May cause sensitization by inhalation.
 R43 : May cause sensitization by skin contact.
 R48 : Danger of serious damage to health by prolonged exposure.
 R49 : May cause cancer by inhalation.
 R50 : Very toxic to aquatic organisms.
 R53 : May cause long-term adverse effects in the aquatic environment.
 R61 : May cause harm to the unborn child.

S Phrase(s)

 : S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 S53 : Avoid exposure - obtain special instructions before use.
 S60 : This material and its container must be disposed of as hazardous waste.
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

 : H331 : Toxic if inhaled.
 H302 : Harmful if swallowed.
 H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H317 : May cause an allergic skin reaction.
 H372 : Causes damage to organs through prolonged or repeated exposure.
 H400 : Very toxic to aquatic life.
 H413 : May cause long lasting harmful effects to aquatic life.

Precautionary statements
• Prevention

 : P285: In case of inadequate ventilation wear respiratory protection.
 P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P271: Use only outdoors or in a well-ventilated area.

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)

2. Hazards identification -DSD (continued)

- P260: Do not breathe dust, fume, gas, mist, vapours, spray.
P273: Avoid release to the environment.
P264: Wash thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P272: Contaminated work clothing should not be allowed out of the workplace.
- **Response** : P302+P352: IF ON SKIN : Wash with plenty of soap and water.
P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.
P391: Collect spillage.
P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
P333+P313: If skin irritation or rash occurs : Get medical advice.
P342+P311: If experiencing respiratory symptoms : Call a POISON CENTER or doctor.
P363: Wash contaminated clothing before reuse.
P314: Get medical advice if you feel unwell.
 - **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.
P405: Store locked up.
 - **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : AMMONIUM NICKEL SULFATE (HEXAHYDRATE) EXTRA PURE
CAS No :7785-20-8
Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). If experiencing respiratory symptoms : Remove to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Get medical advice. Specific treatment (see on this label). If skin irritation or rash occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse.

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)

4. First aid measures (continued)

- Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Ingestion** : Obtain emergency medical attention. Call a POISON CENTER or doctor if you feel unwell. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Danger of serious damage to health by prolonged exposure through inhalation. Causes damage to organs through prolonged or repeated exposure. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)

6. Accidental release measures (continued)

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapours, spray.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

• **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment.
In case of inadequate ventilation wear respiratory protection.

MATERIAL SAFETY DATA SHEET (MSDS)
AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)
8. Exposure controls/personal protection (continued)

- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Green crystalline
Odour	: N/A
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 85 - 89 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

MATERIAL SAFETY DATA SHEET (MSDS)
AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)
9. Physical and chemical properties (continued)

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- Inhalation : Toxic if inhaled.
 - Dermal : Based on available data, the classification criteria are not met.
 - Ingestion : Harmful if swallowed.
- Corrosion** : Based on available data, the classification criteria are not met.
- Irritation** : Based on available data, the classification criteria are not met.
- Sensitization** : May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.

MATERIAL SAFETY DATA SHEET (MSDS)
AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)
11. Toxicological information (continued)

Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information	: Very toxic to aquatic life. May cause long lasting harmful effects to aquatic life.
-----------------------------	--

12.2. Persistence - degradability

Persistence - degradability	: May cause long-term adverse effects in the environment.
------------------------------------	---

12.3. Bioaccumulative potential

Bioaccumulative potential	: Not established.
----------------------------------	--------------------

12.4. Mobility in soil

Mobility in soil	: Not established.
-------------------------	--------------------

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
---	---

12.6. Other adverse effects

Environmental precautions	: Avoid release to the environment.
----------------------------------	-------------------------------------

13. Disposal considerations
13.1. Waste treatment methods

General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
----------------	---

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)

13. Disposal considerations (continued)

Special precautions : Hazardous waste due to toxicity.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N° : 3077
H.I. nr : 90
ADR - Class : 9
Labelling - Transport : 9 : Miscellaneous dangerous substances and articles. 9 : Miscellaneous dangerous substances and articles.



ADR - Classification code : M7
M7
M7
ADR - Group : III
ADR - Packing instructions : P002 R001 LP002
ADR - Limited Quantity : 5 KG
ADR - Tunnel code : E : Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N° : 3077
IMO-IMDG - Class or division : 9 : Miscellaneous dangerous substances and articles. (9 : Miscellaneous dangerous substances and articles.)
IMO-IMDG - Packing group : III
IMO-IMDG - Packing instructions : P002 LP02
IMO-IMDG - Limited quantities : 5 kg
IMO-IMDG - Marine pollution : Yes
EMS-Nr : F-A S-F

14.3. Air transport (ICAO-IATA) [English only]

MATERIAL SAFETY DATA SHEET (MSDS)
AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)
14. Transport information (continued)

Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N°	: 3077
IATA - Class or division	: 9 : Miscellaneous dangerous substances and articles. (9 : Miscellaneous dangerous substances and articles.)
IATA - Packing group	: III
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 956
- Passenger and Cargo - Maximum Quantity/Packing	: 400 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 956
- Cargo only - Maximum Quantity/Packing	: 400 kg
IATA - Limited Quantities	: 30 kg G
ERG-Nr	: 9L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment	: It has not been carried out.
----------------------------	--------------------------------

16. Other information

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information	: None.

MATERIAL SAFETY DATA SHEET (MSDS)

AMMONIUM NICKEL SULPHATE LR (HEXAHYDRATE)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document