

#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

### MATERIAL SAFETY DATA SHEET (MSDS)

## **CETYL ALCOHOL LR**

### 1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: CETYL ALCOHOL LR	
Product code Identification of the product	: C0063405000 : CETYL ALCOHOL EXTRA PURE 99% CAS No :36653-82-4	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	
1.4. Emergency telephone number		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]	

### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45		
Classification	: Xi; R38	
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)		
Health hazards	: Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315	
2.2. Label elements		
Labelling EC 67/548 or EC 1999/45		
Symbol(s)		

Page : 1



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CETYL ALCOHOL LR**

2. Hazards identification -DSD (continued)	
Symbol(s) R Phrase(s) S Phrase(s)	: Xi : Irritant : R38 : Irritating to skin. : S22 : Do not breathe dust. S24/25 : Avoid contact with skin and eyes.
Labelling Regulation EC 1272/2	<u>008 (CLP)</u>
Hazard pictograms	<u>!</u>
Signal words	: Warning
Hazard statements	: H315 : Causes skin irritation.
Precautionary statements	
Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P264: Wash thoroughly after handling.
• Response	: P302+P352: IF ON SKIN : Wash with plenty of soap and water. P332+P313: If skin irritation occurs : Get medical advice. P363: Wash contaminated clothing before reuse.
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

Substance / Preparation	: CETYL ALCOHOL EXTRA PURE 99% CAS No :36653-82-4 Substance.
Contains no other components o	r impurities which will influence the classification of the product.

#### 4. First aid measures

### 4.1. Description of first aid measures

Inhalation	: Assure fresh air breathing. Allow the victim to rest.
Skin contact	: Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs : Get medical advice. Specific treatment (see on this label).
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

### **CETYL ALCOHOL LR**

### 4. First aid measures (continued)

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes skin irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 5. Fire-fighting measures

5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

6. Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	

### 6.3. Methods and material for containment and cleaning up

Page: 3



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

## **CETYL ALCOHOL LR**

6. Accidental release measures (continued)	
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
6.4. Reference to other sections	
See section 8. Exposure controls/pers	sonal protection
7. Handling and storage	
7.1. Precautions for safe handling	
Handling	: Wash thoroughly after handling.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
<u>7.3. Specific end use(s)</u>	
Specific end use(s)	: None.
8. Exposure controls/personal pro	tection
8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
Respiratory protection	: Wear approved mask.
Hand protection	: Wear protective gloves.
<ul> <li>Skin protection</li> </ul>	: Wear suitable protective clothing.
Eye protection	: Chemical goggles or safety glasses.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

## **CETYL ALCOHOL LR**

### 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White flakes
Odour	: N/A
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 49 - 50 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: 113 °C
Boiling point [°C]	: 190 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: < 0.01mm Hg at 43 °C
Vapour density	: 8,37
Density [g/cm3]	: 0,818
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: 8%
Explosion limits - lower [%]	: 1%
Oxidising properties	: No data available.

### 10. Stability and reactivity

10.1. Reactivity



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

### **CETYL ALCOHOL LR**

10. Stability and reactivity (continued)		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	

### 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes skin irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CETYL ALCOHOL LR**

12. Ecological information	
<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
<u>12.5. Results of PBT and vPvB ass</u>	<u>essment</u>
Results of PBT and vPvB assessm	nent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
14. Transport information	
<u>14.1. Land transport (ADR-RID)</u>	
General information	: Not regulated.
<u>14.2. Sea transport (IMDG) [English only]</u>	
General information	: Not regulated.
<u>14.3. Air transport (ICAO-IATA) [En</u>	glish only]

Page: 7



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## **CETYL ALCOHOL LR**

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

### DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :8