

MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : DIPHENYLAMINE (FOR SYNTHESIS)

Product code : D0087505000
Identification of the product : Diphenylamine CAS No :122-39-4

EC No :204-539-4 Annex No :612-026-00-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
Chaitanya Tow

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R23/24/25

R33 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP

: Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

CLP: Aquatic Chronic 1) H410



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)





Symbol(s) : T : Toxic

N: Dangerous for the environment

R Phrase(s) : R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed.

R33: Danger of cumulative effects.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

S Phrase(s) : S1/2 : Keep locked up and out of reach of children.

S28 : After contact with skin, wash immediately with S36/37 : Wear suitable protective clothing and gloves.

S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

S60: This material and its container must be disposed of as hazardous waste. S61: Avoid release to the environment. Refer to special instructions/Safety data

sheets.

Contains : Diphenylamine

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms







Signal words : Danger

Hazard statements : H301 : Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

• **General** : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment. P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

 Response : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P391: Collect spillage.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing.

: P403+P233: Store in well-ventilated place. Keep container tightly closed. Storage

P405: Store locked up.

 Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation.

Contains : Diphenylamine

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

Composition/information on ingredients

Substance / Preparation : Diphenylamine

CAS No :122-39-4 EC No: 204-539-4 Annex No :612-026-00-5

Substance.

Substance name Contents CAS No EC No Annex No REACH Ref. Classification T; R23/24/25 Diphenylamine 100 % 122-39-4 204-539-4 612-026-00-5

R33 N; R50-53

Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (oral) _ H301 Aquatic Acute 1 _ H400 Aquatic Chronic 1 _ H410

Contains no other components or impurities which will influence the classification of the product.

First aid measures

4.1. Description of first aid measures

: Assure fresh air breathing. Allow the victim to rest. Immediately call a POISON Inhalation

CENTER or doctor. Specific treatment (see on this label). Remove to fresh air and

keep at rest in a position comfortable for breathing.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse. Wash contaminated clothing before reuse.



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

4. First aid measures (continued)

Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor. Specific treatment (see

on this label).

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Do NOT induce vomiting. Specific treatment (see on this label). Immediately call a

POISON CENTER or doctor. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Repeated exposure to this material can result in absorption through skin causing

significant health hazard.

Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

6. Accidental release measures (continued)

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Avoid breathing dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke

when using this product. Wash thoroughly after handling. Use only outdoors or in a

well-ventilated area.

Technical protective measures: Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

8. Exposure controls/personal protection (continued)

• Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

• Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.
 Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Cream coloured powder

Odour : Floral odor

Odour threshold : No data available.
pH value : Not applicable.
Melting point [°C] : 50 - 53 °C

: N/A **Decomposition point [°C]** : N/A Critical temperature [°C] : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : 153 °C Flash point [°C] : 302 °C Boiling point [°C] Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : 1 mm Hg @ 1080C

Vapour density : 5,82

Density [g/cm3] : 1,16

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Insoluble in water

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

9. Physical and chemical properties (continued)

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

• Inhalation : Toxic if inhaled.

Dermal : Toxic in contact with skin.Ingestion : Toxic if swallowed.

Corrosion : Based on available data, the classification criteria are not met.



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

11. Toxicological information (continued)

Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. **Toxic for reproduction** : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard**

12. Ecological information

12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

13. Disposal considerations (continued)

Special precautions : Hazardous waste due to toxicity.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN N° : 3077 H.I. nr : 90 ADR - Class : 9

Labelling - Transport : 9 : Miscellaneous dangerous substances and articles.



ADR - Classification code : M7
ADR - Group : III

ADR - Packing instructions : P002 R001 LP002

ADR - Limited Quantity : 5 KG

ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN N° : 3077

IMO-IMDG - Class or division : 9 : Miscellaneous dangerous substances and articles.

IMO-IMDG - Packing group : |||

IMO- IMDG - Packing instructions: P002 LP02IMO-IMDG - Limited quantities: 5 kgIMO-IMDG - Marine pollution: YesEMS-Nr: F-A S-F

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN N° : 3077



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

14. Transport information (continued)

IATA - Class or division : 9 : Miscellaneous dangerous substances and articles.

IATA - Packing group : III

IATA - Passenger and Cargo Aircraft : ALLOWED - Passenger and Cargo - Packing : 956

instruction

- Passenger and Cargo - Maximum : 400 kg

Quantity/Packing

- Cargo only - Packing instruction : 956
- Cargo only - Maximum Quantity/ : 400 kg

Packing

IATA - Limited Quantites : 30 kg G ERG-Nr : 9L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

: Ensure all national/local regulations are observed.

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

List of relevant R phrases (heading 3): R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R33: Danger of cumulative effects.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

List of full text of H-statements in

section 3

: H301 : Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

Page: 10



MATERIAL SAFETY DATA SHEET (MSDS)

DIPHENYLAMINE (FOR SYNTHESIS)

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document