

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCURIC CHLORIDE LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name	: MERCURIC CHLORIDE LR		
Product code	: M0133700500		
Identification of the product	: mercury dichloride; mercuric chloride		
identification of the product	CAS No: 7487-94-7		
	EC No :231-299-8		
	Annex No :080-010-00-X		
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against		
	<u> </u>		
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
	SUVCHEM		
Company identification	Chaitanya Tower, 2nd Floor, Office # 206,		
	Siddharth Nagar, S.V. Road,		
	Goregaon (West), Mumbai - 400062,		
	Maharashtra, India. Contact: +91 22 28725393 / 94 / 95		
	Email ID: info@suvchem.com/care@suvchem.com		
1.4. Emergency telephone number			
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]		

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: Muta. Cat. 3; R68
	Repr. Cat. 3; R62
	T+; R28
	T; R48/24/25
	C; R34
	N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Germ cell mutagenicity - Category 2 - Warning (CLP : Muta. 2) H341
Reproductive toxicity - Fertility - Category 2 - Warning (CLP : Repr. 2) H361
Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP :
STOT RE 1) H372
Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318
Acute toxicity, Oral - Category 1 - Danger (CLP : Acute Tox. 1) H300

Page: 1

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCURIC CHLORIDE LR

2. Hazards identification -DSD (cont	inued)
Environmental hazards	 Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314 Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410
2.2. Label elements	
Labelling EC 67/548 or EC 1999/45	
Symbol(s)	
Symbol(s)	: T+ : Very toxic N : Dangerous for the environment
R Phrase(s)	 R28 : Very toxic if swallowed. R34 : Causes burns. R48/24/25 : Toxic : danger of serious damage to health by prolonged exposure in contact with skin and if swallowed. R62 : Possible risk of impaired fertility. R68 : Possible risks of irreversible effects. R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S Phrase(s)	 S1/2 : Keep locked up and out of reach of children. S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). S60 : This material and its container must be disposed of as hazardous waste. S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.
Contains	: mercury dichloride; mercuric chloride
Labelling Regulation EC 1272/2008 (0	<u>CLP)</u>
Hazard pictograms	
Signal words Hazard statements	 Danger H300 : Fatal if swallowed. H314 : Causes severe skin burns and eye damage. H341 : Suspected of causing genetic defects. H361f : Suspected of damaging fertility. H372 : Causes damage to organs through prolonged or repeated exposure.

Page: 2

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURIC CHLORIDE LR

2. Hazards identification -DSD (continued)		
	H410 : Very toxic to aquatic life with long lasting effects.	
Precautionary statements		
• General	 P102: Keep out of reach of children. P103: Read label before use. P101: If medical advice is needed, have product container or label at hand. P201: Obtain special instructions before use. 	
Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P273: Avoid release to the environment. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. 	
• Response	 P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting. P308+P313: If exposed or concerned : get medical advice. P391: Collect spillage. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P314: Get medical advice if you feel unwell. 	
Storage	: P405: Store locked up.	
 Disposal considerations 	 P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 	
Contains	: mercury dichloride; mercuric chloride	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients Substance / Preparation : mercury dichloride; mercuric chloride EC No :231-299-8 Annex No :080-010-00-X Substance. CAS No EC No REACH Ref. Classification Substance name Contents Annex No Muta. Cat. 3; R68 Repr. Cat. 3; R62 T+; R28 T; R48/24/25 C; R34 N; R50-53 mercury dichloride; mercuric 7487-94-7 100 % 231-299-8 080-010-00-X chloride



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCURIC CHLORIDE LR

3. Composition/information on ingredients (continued)

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures	2		
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.		
Skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor.		
Eye contact	: Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.		
Ingestion	: Specific treatment (see on this label). Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms relating to use	: Suspected of causing genetic defects. Causes damage to organs through prolonged or repeated exposure. Fatal if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Suspected of damaging fertility.		
4.3. Indication of any immediate medical attention and special treatment needed			
General information	: Never give anything by mouth to an unconscious person. If exposed or concerned : get medical advice.		

5. Fire-fighting measures

5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.	
5.3. Advice for fire-fighters		



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCURIC CHLORIDE LR

5. Fire-fighting measures (continue	d)	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory	
Special procedures	 protection. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. 	
6. Accidental release measures		
6.1. Personal precautions, protective	e equipment and emergency procedures	
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	 Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment. 	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		
See section 8. Exposure controls/perse	onal protection	
7. Handling and storage		
7.1. Precautions for safe handling		
Handling	: Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Do not breathe dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use personal protective equipment as required. Obtain special instructions before use.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, inc	luding any incompatibilities	
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.	
Storage regulation	: Comply with applicable regulations.	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURIC CHLORIDE LR

7. Handling and storage (continue	d)
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
Specific end use(s)	: None.
8. Exposure controls/personal pro	tection
8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear approved mask.
Hand protection	: Wear protective gloves.
Skin protection	: Wear suitable protective clothing.
Eye protection	: Chemical goggles or face shield.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White crystals
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 277 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 302 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCURIC CHLORIDE LR

9. Physical and chemical properties (continued)

Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: 1 mm Hg @ 136.20C
Vapour density	: 8,7
Density [g/cm3]	: 5,4
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 7.4g in 100g of wate
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 3.2 (0.2 M solution)
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCURIC CHLORIDE LR

10. Stability and reactivity (continue	d)	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.	

11. Toxicological information

11.1. Information on toxicological effects

Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Fatal if swallowed.
Corrosion	: Causes severe skin burns and eye damage.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Suspected of damaging fertility.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Very toxic to aquatic life with long lasting effects.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
<u>12.5. Results of PBT and vPvB assessment</u>	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCURIC CHLORIDE LR

12. Ecological information (continued)	
Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	 Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Hazardous waste due to toxicity.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name	: MERCURIC CHLORIDE
UN N°	: 1624
H.I. nr	: 60
ADR - Class	: 6.1
Labelling - Transport	: 6.1 : Toxic substances.
ADR - Classification code	: T5

ADIX - OldSSITICATION COUC	
ADR - Group	: 11
ADR - Packing instructions	: P002
ADR - Limited Quantity	: 500 G
ADR - Tunnel code	

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCURIC CHLORIDE LR

14. Transport information (continued)

14.2. Sea transport (IMDG) [English only]

Proper shipping name	: MERCURIC CHLORIDE
UN N°	: 1624
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P002
IMO-IMDG - Limited quantities	: 500 g
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: MERCURIC CHLORIDE
UN N°	: 1624
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 669
- Passenger and Cargo - Maximum Quantity/Packing	: 25 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 676
- Cargo only - Maximum Quantity/ Packing	: 100 kg
IATA - Limited Quantites	: 1 kg
ERG-Nr	: 6L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURIC CHLORIDE LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document