

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name	: MERCUROUS CHLORIDE AR
Product code	: M0135500500
Identification of the product	: Dimercury dichloride
	CAS No: 10112-91-1 EC No :233-307-5
	Annex No :080-003-00-1
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
Use	: Industrial. For professional use only.
1.3. Details of the supplier of the safe	ety data sheet
Company identification	SUVCHEM
	Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road,
	Goregaon (West), Mumbai - 400062,
	Maharashtra, India. Contact: +91 22 28725393 / 94 / 95
	Email ID: info@suvchem.com/care@suvchem.com
1.4. Emergency telephone number	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: Xn; R22 Xi; R36/37/38 N; R50-53
Hazard Class and Category Code(s),	<u>, Regulation (EC) No 1272/2008 (CLP)</u>
Health hazards	: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation - Category 3 - Warning (CLP : STOT SE 3) H335 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302
Environmental hazards	: Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

2. Hazards identification -DSD (continued)			
	CLP : Aquatic Chronic 1) H410		
2.2. Label elements			
Labelling EC 67/548 or EC 199	99/45		
Symbol(s)	*		
Symbol(s)	: Xn : Harmful N : Dangerous for the environment		
R Phrase(s)	: R22 : Harmful if swallowed. R36/37/38 : Irritating to eyes, respiratory system and skin. R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
S Phrase(s)	 S2 : Keep out of the reach of children. S13 : Keep away from food, drink and animal feedingstuffs. S24/25 : Avoid contact with skin and eyes. S46 : If swallowed seek medical advice immediately and show this container or label. S60 : This material and its container must be disposed of as hazardous waste. S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets. 		
Contains	: Dimercury dichloride		
Labelling Regulation EC 1272	<u>/2008 (CLP)</u>		
Hazard pictograms			
Signal words	: Warning		
Hazard statements	 H302 : Harmful if swallowed. H319 : Causes serious eye irritation. H315 : Causes skin irritation. H335 : May cause respiratory irritation. H410 : Very toxic to aquatic life with long lasting effects. 		
Precautionary statements			
• General	: P102: Keep out of reach of children. P103: Read label before use. P101: If medical advice is needed, have product container or label at hand.		
Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P273: Avoid release to the environment. 		



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

2. Hazards identification -DSD (continued)				
	P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.			
• Response	 P302+P352: IF ON SKIN : Wash with plenty of soap and water. P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. P332+P313: If skin irritation occurs : Get medical advice. P391: Collect spillage. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P363: Wash contaminated clothing before reuse. 			
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.			
Disposal considerations	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.			
Contains	: Dimercury dichloride			
2.3. Other hazards				
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.			

3. Composition/information on ingredients							
Substance / Preparation		: Dimercury dichloride					
	EC No :233-307-5 Annex No :080-003-00-1 Substance.						
Substance name Dimercury dichloride	:	Contents 100 %	CAS No 10112-91-1	EC No 233-307-5	Annex No 080-003-00-1	REACH Ref.	Classification Xn; R22 Xi; R36/37/38 N; R50-53
							Acute Tox. 4 (oral)_H302 Eye irrit 2_H319 Skin Irrit. 2_H315 STOT SE 3_H335 Aquatic Acute 1_H400 Aquatic Chronic 1_H410

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation

: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

First aid measures (continue	d)
Skin contact	: Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs : Get medical advice. Specific treatment (see on this label).
Eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists : Get medical advice.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Call POISON CENTER or doctor if you feel unwell.
4.2. Most important symptoms a	and effects, both acute and delayed
Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.
4.3. Indication of any immediate	medical attention and special treatment needed
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from th	ne substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection. Ventilate area.

Page: 4

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

6. Accidental release measures (continued)					
For non-emergency personnel	: Evacuate unnecessary personnel.				
6.2. Environmental precautions					
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.				
6.3. Methods and material for contai	inment and cleaning up				
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.				
6.4. Reference to other sections					
See section 8. Exposure controls/personal protection					
7. Handling and storage					
7.1. Precautions for safe handling					
Handling	: Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.				
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.				
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray.				
7.2. Conditions for safe storage, inc	luding any incompatibilities				

Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
Specific end use(s)	: None.

8. Exposure controls/personal protection

8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear approved mask.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

8. Exposure controls/personal protection (continued)		
: Wear protective gloves.		
: Wear suitable protective clothing.		
: Chemical goggles or safety glasses.		
: When using, do not eat, drink or smoke.		
: No data available.		
	: Wear protective gloves. : Wear suitable protective clothing. : Chemical goggles or safety glasses. : When using, do not eat, drink or smoke.	

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour: White crystallineOdour: OdorlessOdour threshold: No data available.pH value: Not applicable.Melting point [°C]: 277 °CDecomposition point [°C]: N/ACritical temperature [°C]: N/AAuto-ignition temperature [°C]: N/AFlammability (solid, gas): N/AFlash point [°C]: 302 °CInitial boiling point [°C]: N/AFinal boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure [20°C]: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/AViscosity at 40°C [mm2/s]: N/A	Physical state at 20 °C	: Solid.
Odour threshold: No data available.pH value: Not applicable.Melting point [°C]: 277 °CDecomposition point [°C]: N/ACritical temperature [°C]: N/AAuto-ignition temperature [°C]: N/AFlammability (solid, gas): N/AFlash point [°C]: N/ABoiling point [°C]: N/ABoiling point [°C]: N/AFinal boiling point [°C]: N/AFinal boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, liquid (water=1): N/ASolubility in water [% weight]: NegligibleSolubility in water [% weight]: N/ALog Pow octanol / water at 20°C: No data available.Solubility: N/A	Colour	: White crystalline
pH value: Not applicable.pH value: Not applicable.Melting point [°C]: 277 °CDecomposition point [°C]: N/ACritical temperature [°C]: N/AAuto-ignition temperature [°C]: N/AFlammability (solid, gas): N/AFlash point [°C]: N/ABoiling point [°C]: N/ABoiling point [°C]: N/AFinal boiling point [°C]: N/AFinal boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure [20°C]: N/AVapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Odour	: Odorless
Melting point [°C]: 277 °CDecomposition point [°C]: N/ACritical temperature [°C]: N/AAuto-ignition temperature [°C]: N/AFlammability (solid, gas): N/AFlash point [°C]: N/ABoiling point [°C]: 302 °CInitial boiling point [°C]: N/AFinal boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure [20°C]: N/AVapour density: 1.7 mm Hg at 236 °CVapour density: 5,44Relative density, gas (air=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Odour threshold	: No data available.
Decomposition point [°C] : N/A Critical temperature [°C] : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : N/A Flash point [°C] : N/A Boiling point [°C] : N/A Boiling point [°C] : N/A Final boiling point [°C] : N/A Final boiling point [°C] : N/A Evaporation rate : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : 1.7 mm Hg at 236 °C Vapour density : N/A Density [g/cm3] : 5,44 Relative density, gas (air=1) : N/A Solubility in water [% weight] : Negligible Solubility in water at 20°C : No data available. Solubility : N/A	pH value	: Not applicable.
Critical temperature [°C]N/AAuto-ignition temperature [°C]N/AFlammability (solid, gas)N/AFlash point [°C]N/ABoiling point [°C]302 °CInitial boiling point [°C]N/AFinal boiling point [°C]N/AEvaporation rateN/AVapour pressure [20°C]N/AVapour pressure mm/Hg1.7 mm Hg at 236 °CVapour densityN/ADensity [g/cm3]5,44Relative density, gas (air=1)N/ASolubility in water [% weight]N/ALog Pow octanol / water at 20°CN/A	Melting point [°C]	: 277 °C
Auto-ignition temperature [°C]: N/AFlammability (solid, gas): N/AFlash point [°C]: N/ABoiling point [°C]: 302 °CInitial boiling point [°C]: N/AFinal boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Decomposition point [°C]	: N/A
Flammability (solid, gas):N/AFlash point [°C]:N/ABoiling point [°C]:302 °CInitial boiling point [°C]:N/AFinal boiling point [°C]:N/AEvaporation rate:N/AVapour pressure [20°C]:N/AVapour pressure mm/Hg:1.7 mm Hg at 236 °CVapour density:N/ADensity [g/cm3]:5,44Relative density, liquid (water=1):N/ASolubility in water [% weight]:N/ALog Pow octanol / water at 20°C:No data available.Solubility:N/A	Critical temperature [°C]	: N/A
Flash point [°C]: N/ABoiling point [°C]: 302 °CInitial boiling point [°C]: N/AFinal boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, liquid (water=1): N/ASolubility in water [% weight]: N/ALog Pow octanol / water at 20°C: N/A	Auto-ignition temperature [°C]	: N/A
Boiling point [°C]: 302 °CInitial boiling point [°C]: N/AFinal boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ASolubility in water [% weight]: N/ASolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Flammability (solid, gas)	: N/A
Initial boiling point [°C]: N/AFinal boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ASolubility in water [% weight]: N/ASolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Flash point [°C]	: N/A
Final boiling point [°C]: N/AEvaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ARelative density, liquid (water=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Boiling point [°C]	: 302 °C
Evaporation rate: N/AVapour pressure [20°C]: N/AVapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ARelative density, liquid (water=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Initial boiling point [°C]	: N/A
Vapour pressure [20°C]: N/AVapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ARelative density, liquid (water=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Final boiling point [°C]	: N/A
Vapour pressure mm/Hg: 1.7 mm Hg at 236 °CVapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ARelative density, liquid (water=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/A	Evaporation rate	: N/A
Vapour density: N/ADensity [g/cm3]: 5,44Relative density, gas (air=1): N/ARelative density, liquid (water=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/ASolubility: N/A	Vapour pressure [20°C]	: N/A
Density [g/cm3]: 5,44Relative density, gas (air=1): N/ARelative density, liquid (water=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: N/ASolubility: N/A	Vapour pressure mm/Hg	:1.7 mm Hg at 236 °C
Relative density, gas (air=1): N/ARelative density, liquid (water=1): N/ASolubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: No data available.Solubility: N/A	Vapour density	: N/A
Relative density, liquid (water=1) : N/A Solubility in water [% weight] : Negligible Solubility in water : N/A Log Pow octanol / water at 20°C : No data available. Solubility : N/A	Density [g/cm3]	: 5,44
Solubility in water [% weight]: NegligibleSolubility in water: N/ALog Pow octanol / water at 20°C: No data available.Solubility: N/A	Relative density, gas (air=1)	: N/A
Solubility in water: N/ALog Pow octanol / water at 20°C: No data available.Solubility: N/A	Relative density, liquid (water=1)	: N/A
Log Pow octanol / water at 20°C: No data available.Solubility: N/A	Solubility in water [% weight]	: Negligible
Solubility : N/A	Solubility in water	: N/A
-	Log Pow octanol / water at 20°C	: No data available.
Viscosity at 40°C [mm2/s] : N/A	Solubility	: N/A
	Viscosity at 40°C [mm2/s]	: N/A



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

9. Physical and chemical properties (continued)

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

<u>10.1. Reactivity</u>		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	

11. Toxicological information

11.1. Information on toxicological effects		
Acute toxicity		
Inhalation	: Based on available data, the classification criteria are not met.	
• Dermal	: Based on available data, the classification criteria are not met.	
 Ingestion 	: Harmful if swallowed.	
Corrosion	: Based on available data, the classification criteria are not met.	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

11. Toxicological information (continued)

Irritation	: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Very toxic to aquatic life with long lasting effects.
<u>12.2. Persistence - degradability</u>	
Persistence - degradability	: May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessme	nt : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
12 Dispessions identifiant	
13. Disposal considerations	

13.1. Waste treatment methods



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) **MERCUROUS CHLORIDE AR**

13. Disposal considerations (continued)

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name	: MEF
UN N°	: 202
H.I. nr	: 60
ADR - Class	: 6.1
Labelling - Transport	: 6.1

RCURY COMPOUND, SOLID, N.O.S.

25

: Toxic substances.



ADR - Classification code	: T5
ADR - Group	: 111
ADR - Packing instructions	: P002 R001 LP002
ADR - Limited Quantity	: 5 KG
ADR - Tunnel code	: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name UN N°	: MERCURY COMPOUND, SOLID, N.O.S. : 2025
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 500 g
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]



SOLID, N.O.S.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) MERCUROUS CHLORIDE AR

14. Transport information (continued)

Proper shipping name	: MERCURY COMPOUND,
UN N°	: 2025
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: III
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 670
- Passenger and Cargo - Maximum Quantity/Packing	: 100 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 677
- Cargo only - Maximum Quantity/ Packing	: 200 kg
IATA - Limited Quantites	: 10 kg
ERG-Nr	: 6L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.

16. Other information

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3)	 R22 : Harmful if swallowed. R36/37/38 : Irritating to eyes, respiratory system and skin. R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Page: 10

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCUROUS CHLORIDE AR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document