

MATERIAL SAFETY DATA SHEET (MSDS)

SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name	: SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)		
Product code	: S0179900500		
Identification of the product	: SILICAGEL 200-400 MESH Special for column chromoat		
	CAS No: 112926-00-8		
1.2. Relevant identified uses of the su	1.2. Relevant identified uses of the substance or mixture and uses advised against		
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/cara@suvchem.com		
<u>1.4. Emergency telephone number</u>	Email ID: info@suvchem.com/care@suvchem.com		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]		

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Not classified.

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Not classified.

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Not classified.

Labelling Regulation EC 1272/2008 (CLP)

Page : 1



MATERIAL SAFETY DATA SHEET (MSDS)

SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

2. Hazards identification -DSD (continued) Not classified. 2.3. Other hazards Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. 3. Composition/information on ingredients Substance / Preparation : SILICAGEL 200-400 MESH Special for column chromoat Substance. Contains no other components or impurities which will influence the classification of the product. 4. First aid measures 4.1. Description of first aid measures Inhalation : Assure fresh air breathing. Allow the victim to rest. Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or Eye contact redness persist. : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Ingestion 4.2. Most important symptoms and effects, both acute and delayed : Not expected to present a significant hazard under anticipated conditions of normal Symptoms relating to use use. 4.3. Indication of any immediate medical attention and special treatment needed **General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

Page: 2

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

5. Fire-fighting measures (continued)

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4 Reference to other sections		

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling	: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	

7.2. Conditions for safe storage, including any incompatibilities

Page: 3



MATERIAL SAFETY DATA SHEET (MSDS)

SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

7. Handling and storage (continued	d)	
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.	
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
<u>7.3. Specific end use(s)</u>		
Specific end use(s)	: None.	
8. Exposure controls/personal protection		
8.1. Exposure controls		
· · · · · · · · · · · · · · · · · · ·	: Avoid all unnecessary exposure.	
8.1. Exposure controls		
8.1. Exposure controls Personal protection	: Avoid all unnecessary exposure.	
8.1. Exposure controls Personal protection • Respiratory protection	: Avoid all unnecessary exposure. : Wear approved mask.	
8.1. Exposure controls Personal protection • Respiratory protection • Hand protection	: Avoid all unnecessary exposure. : Wear approved mask. : Wear protective gloves.	
8.1. Exposure controls Personal protection • Respiratory protection • Hand protection • Eye protection	: Avoid all unnecessary exposure. : Wear approved mask. : Wear protective gloves. : Chemical goggles or safety glasses.	
8.1. Exposure controls Personal protection • Respiratory protection • Hand protection • Eye protection • Others	: Avoid all unnecessary exposure. : Wear approved mask. : Wear protective gloves. : Chemical goggles or safety glasses.	

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White crystalline
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: > 1600 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 2230 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A



MATERIAL SAFETY DATA SHEET (MSDS) SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

9. Physical and chemical properties (continued)

Evaporation rate	:	N/A
Vapour pressure [20°C]	:	N/A
Vapour pressure mm/Hg	:	N/A
Vapour density	:	N/A
Density [g/cm3]	:	2,1
Relative density, gas (air=1)	:	N/A
Relative density, liquid (water=1)	:	N/A
Solubility in water [% weight]	:	Insoluble in water
Solubility in water	:	N/A
Log Pow octanol / water at 20°C	:	No data available.
Solubility	:	~7
Viscosity at 40°C [mm2/s]	:	N/A
9.2. Other information		
Explosive properties	:	N/A
Explosion limits - upper [%]	:	N/A
Explosion limits - lower [%]	:	N/A
Oxidising properties	:	No data available.

10. Stability and reactivity

<u>10.1. Reactivity</u>	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reaction	ons
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition prod	ucts

Page : 5

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS) SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

10. Stability and reactivity (continued)

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

A cute	toxicity
Acute	toxicity

Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB asse	ssment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.



MATERIAL SAFETY DATA SHEET (MSDS) SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
14. Transport information	
14.1. Land transport (ADR-RID)	
General information	: Not regulated.
14.2. Sea transport (IMDG) [English only]	
General information	: Not regulated.
14.3. Air transport (ICAO-IATA) [English only]	
General information	: Not regulated.
45 Deculatory information	
15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

Chemical Safety Assessment : It has not been carried out.

15.2. Chemical Safety Assessment

12. Ecological information (continued)

Page: 7

SILICA GEL 200-400 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY) OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document