

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

#### 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN

CHROMATOGRAPHY)

Product code : S0180500500

Identification of the product : SILICA GEL 400-700 MESH For Coumn Chromatography

CAS No: 112926-00-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use** : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

**Phone no.** : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

# Classification EC 67/548 or EC 1999/45

Not classified.

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Not classified.

# 2.2. Label elements

#### Labelling EC 67/548 or EC 1999/45

Not classified.

# Labelling Regulation EC 1272/2008 (CLP)



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

### 2. Hazards identification -DSD (continued)

Not classified.

#### 2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

Substance / Preparation : SILICA GEL 400-700 MESH For Coumn Chromatography

Substance.

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

#### 4.1. Description of first aid measures

**Inhalation** : Assure fresh air breathing. Allow the victim to rest.

**Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Not expected to present a significant hazard under anticipated conditions of normal

use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

#### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media**: Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBA<del>1</del> 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

### 5. Fire-fighting measures (continued)

#### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

#### 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

# 7. Handling and storage

#### 7.1. Precautions for safe handling

Handling : Wash hands and other exposed areas with mild soap and water before eat, drink or

smoke and when leaving work.

**Technical protective measures**: Provide good ventilation in process area to prevent formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBA<del>1</del> 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

# 7. Handling and storage (continued)

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

# 8. Exposure controls/personal protection

#### 8.1. Exposure controls

**Personal protection** : Avoid all unnecessary exposure.

Respiratory protectionHand protectionWear approved mask.Wear protective gloves.

Eye protectionOthers: Chemical goggles or safety glasses.: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

# 9. Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour: White powderOdour: Odorless

Odour threshold : No data available.

pH value : Not applicable.

Melting point [°C] : > 1600 °C

**Decomposition point [°C]** : N/A Critical temperature [°C] : N/A : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : N/A Flash point [°C] : 2230 °C **Boiling point [°C]** : N/A Initial boiling point [°C] Final boiling point [°C] : N/A



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBA<del>1</del> 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

# 9. Physical and chemical properties (continued)

Evaporation rate : N/A
Vapour pressure [20°C] : N/A
Vapour pressure mm/Hg : N/A
Vapour density : N/A
Density [g/cm3] : 2,1
Relative density, gas (air=1) : N/A
Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Insoluble in water

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility :  $\sim$ 7 Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

# 10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous reactions** : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

# 10. Stability and reactivity (continued)

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

### 11. Toxicological information

#### 11.1. Information on toxicological effects

**Acute toxicity** 

 Inhalation : Based on available data, the classification criteria are not met. Dermal : Based on available data, the classification criteria are not met. Ingestion : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Corrosion : Based on available data, the classification criteria are not met. Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity Carcinogenicity : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. **Toxic for reproduction** : Based on available data, the classification criteria are not met. STOT-single exposure STOT-repeated exposure : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. **Aspiration hazard** 

#### 12. Ecological information

#### **12.1. Toxicity**

**Toxicity information** : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY)

#### 12. Ecological information (continued)

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

#### 13. Disposal considerations

#### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

# 14. Transport information

# 14.1. Land transport (ADR-RID)

**General information** : Not regulated.

#### 14.2. Sea transport (IMDG) [English only]

**General information** : Not regulated.

# 14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

#### 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.

regulations/legislation specific for the

substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.

#### 15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

# SILICA GEL 400-700 MESH SPECIAL (FOR COLUMN CHROMATOGRAPHY) OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBA<del>1</del> 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

# **DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

**End of document**