#### **OM SHREE GANESHYA NAMAH**



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

#### 1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: HYDROCHLORIC ACID ABT.35% LR
Product code Identification of the product	: SA0010202500 : Hydrochloric acid CAS No: 7647-01-0 EC No :231-595-7 Annex No :017-002-01-X
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
Use	: Industrial. For professional use only.
1.3. Details of the supplier of the saf	ety data sheet
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

#### Classification EC 67/548 or EC 1999/45

Classification	: C; R34
Clabolitoution	-, -

Xi; R37

#### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards

: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -Category 3 - Warning (CLP : STOT SE 3) H335 Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314 Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318

#### 2.2. Label elements

#### Labelling EC 67/548 or EC 1999/45

#### **OM SHREE GANESHYA NAMAH**



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

Hazards identification -DSD (	continued)
Symbol(s)	
Symbol(s)	: C : Corrosive
R Phrase(s)	: R34 : Causes burns. R37 : Irritating to respiratory system.
S Phrase(s)	<ul> <li>S26 : In case of contact with eyes, rinse immediately with plenty of water and semedical advice.</li> <li>S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.</li> <li>S45 : In case of accident or if you feel unwell, seek medical advice immediately show the label when possible).</li> </ul>
Contains	: Hydrochloric acid
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>
Hazard pictograms	
Signal words	: Danger
Hazard statements	<ul> <li>H314 : Causes severe skin burns and eye damage.</li> <li>H335 : May cause respiratory irritation.</li> </ul>
Precautionary statements	
• General	<ul> <li>P102: Keep out of reach of children.</li> <li>P103: Read label before use.</li> <li>P101: If medical advice is needed, have product container or label at hand.</li> </ul>
Prevention	<ul> <li>P280: Wear protective gloves, protective clothing, eye protection, face protection</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P260: Do not breathe dust, fume, gas, mist, vapours, spray.</li> <li>P264: Wash thoroughly after handling.</li> </ul>
• Response	<ul> <li>P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse.</li> </ul>
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.
Disposal considerations	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

2. Hazards identification -DS	D (continued	)				
Contains	: Hyc	Irochloric acio	ł			
2.3. Other hazards						
Other hazards				il the criteria to nex XIII of Reg		as PBT substance or vPvB H.
3. Composition/information	on ingredient	S				
Substance / Preparation	: Hyd	Irochloric acio	ł			
	Ani	No :231-595 nex No :017-0 ostance.	-			
Substance name Hydrochloric acid :	Contents 100 %	<b>CAS No</b> 7647-01-0	<b>EC No</b> 231-595-7	<b>Annex No</b> 017-002-01-X	REACH Ref.	Classification C; R34 Xi; R37 
Contains no other components	or impurities w	hich will influe	ence the cla	assification of t	he product.	5101 3E 3 _ 1100

4.1. Description of first aid meas	sures
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment is urgent (see on this label).
Skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor.
Eye contact	: Immediately call a POISON CENTER or doctor. Remove contact lenses, if preser and easy to do. Continue rinsing. Rinse cautiously with water for several minutes Specific treatment (see on this label).
Ingestion	: Specific treatment (see on this label). Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
4.2. Most important symptoms a	and effects, both acute and delayed
Symptoms relating to use	: Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation. Corrosive to respiratory tract.
4.3. Indication of any immediate	e medical attention and special treatment needed



# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

## 5. Fire-fighting measures

5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	<ul> <li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li> <li>Do not use a heavy water stream.</li> <li>Use water spray or fog for cooling exposed containers.</li> </ul>		
5.2. Special hazards arising from the substance or mixture			
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.		
5.3. Advice for fire-fighters			
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.		
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.		

### 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.	
6.4. Reference to other sections		

See section 8. Exposure controls/personal protection

### 7. Handling and storage

## 7.1. Precautions for safe handling



# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

Handling and storage (continue	ed)
Handling	: Wash contaminated clothing before reuse. Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Do not store in corrodable metal. Keep container tightly closed.
Storage regulation	: Comply with applicable regulations.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
Specific end use(s)	: None.

### 8. Exposure controls/personal protection

#### 8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
<ul> <li>Respiratory protection</li> </ul>	: Wear approved mask.
<ul> <li>Hand protection</li> </ul>	: Wear protective gloves.
<ul> <li>Skin protection</li> </ul>	: Wear suitable protective clothing.
Eye protection	: Chemical goggles or face shield.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

#### 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless
Odour	: Pungent odor
Odour threshold	: No data available.
pH value	: No data available.



# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

# 9. Physical and chemical properties (continued)

Melting point [°C]	: -30 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 110 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 225 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 1,2
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: 2.3 mPa.s at 15 °C
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

# 10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3 Possibility of bazardous road	ations

10.3. Possibility of hazardous reactions



# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

10. Stability and reactivity (continued)		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.	

## 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: Based on available data, the classification criteria are not met.
Corrosion	: Causes severe skin burns and eye damage. Causes serious eye damage. Corrosive to respiratory tract.
Irritation	: May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

### 12. Ecological information

12.1.	Toxicity

**Toxicity information** 

: Not established.

12.2. Persistence - degradability



# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

12. Ecological information (continued)		
Persistence - degradability	: Biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessn	nent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	<ul> <li>Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.</li> <li>Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>	

## 14. Transport information

#### 14.1. Land transport (ADR-RID)

Proper shipping name	: HYDROCHLORIC ACID
UN N°	: 1789
H.I. nr	: 80
ADR - Class	: 8
Labelling - Transport	: 8 : Corrosive substance.
	÷
ADR - Classification code	: C1 C1



# MATERIAL SAFETY DATA SHEET (MSDS) HYDROCHLORIC ACID ABT.35% LR

### 14. Transport information (continued)

# ADR - Group

- ADR Packing instructions ADR - Limited Quantity ADR - Tunnel code
- : P001 : 1 L

: 11

: E : Passage forbidden through tunnels of category E.



## 14.2. Sea transport (IMDG) [English only]

Proper shipping name	: HYDROCHLORIC ACID
UN N°	: 1789
IMO-IMDG - Class or division	: 8 : Corrosive substance.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P001
IMO-IMDG - Limited quantities	: 1L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-B

### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name UN N°	: HYDROCHLORIC ACID : 1789
IATA - Class or division	: 8 : Corrosive substance.
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 851
- Passenger and Cargo - Maximum Quantity/Packing	: 1 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 855
- Cargo only - Maximum Quantity/ Packing	: 30 L
IATA - Limited Quantites	: 0.5 L
ERG-Nr	: 8L

## 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



# MATERIAL SAFETY DATA SHEET (MSDS)

# HYDROCHLORIC ACID ABT.35% LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED