

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]
1. Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Trade name : CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]
 Product code : SI0301900500

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD
2.1. Classification of the substance or mixture
Classification EC 67/548 or EC 1999/45

Classification : Xi; R36/38

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Not classified.

2.2. Label elements
Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) : Xi : Irritant

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]

2. Hazards identification -DSD (continued)

R Phrase(s) : R36/38 : Irritating to eyes and skin.
S Phrase(s) : S24 : Avoid contact with skin.
 S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S35 : This material and its container must be disposed of in a safe way.
 S36/37 : Wear suitable protective clothing and gloves.
 S51 : Use only in well-ventilated areas.
 S59 : Refer to manufacturer/supplier for information on recovery/recycling.
Contains : Water - Ethanol - Phenol - C.I. Basic Red 9

Labelling Regulation EC 1272/2008 (CLP)

Not classified.

Hazard pictograms



Contains : Water - Ethanol - Phenol - C.I. Basic Red 9

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Preparation.
Hazardous component(s) : This product is hazardous.

| Substance name | Contents | CAS No | EC No | Annex No | REACH Ref. | Classification |
|------------------|--------------|-----------|-----------|--------------|------------|--|
| C.I. Basic Red 9 | > 0.01 < 1 % | 569-61-9 | 209-321-2 | 611-031-00-X | --- | Carc. Cat. 2; R45 Carc. 1B _ H350 |
| Phenol | > 0.01 < 1 % | 108-95-2 | 203-632-7 | 604-001-00-2 | --- | Muta. Cat. 3; R68 T; R23/24/25 Xn; R48/20/21/22 C; R34 Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (oral) _ H301 Skin Corr. 1B _ H314 Eye Dam 1 _ H318 Muta. 2 _ H341 STOT RE 2 _ H373 |
| Ethanol | > 0.01 < 1 % | 64-17-5 | 200-578-6 | 603-002-00-5 | --- | R10 C; R35 Skin Corr. 1A _ H314 Flam. Liq. 3 _ H226 |
| Water | > 99 % | 7732-18-5 | 231-791-2 | ---- | --- | Not classified (DSD/DPD) Not classified (GHS) |

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]

4. First aid measures

4.1. Description of first aid measures

| | |
|---------------------|---|
| Inhalation | : Assure fresh air breathing. Allow the victim to rest. Call a POISON CENTER or doctor if you feel unwell. Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing. |
| Skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Specific treatment (see on this label). Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor. |
| Eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. |
| Ingestion | : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. Call a POISON CENTER or doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------------------|--|
| Symptoms relating to use | : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard. Causes severe skin burns and eye damage. May cause damage to organs. |
|---------------------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|----------------------------|---|
| General information | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
|----------------------------|---|

5. Fire-fighting measures

5.1. Extinguishing media

| | |
|---------------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |
| Surrounding fires | : Use water spray or fog for cooling exposed containers. |

5.2. Special hazards arising from the substance or mixture

| | |
|--------------------------------------|---|
| Hazardous combustion products | : Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours. |
|--------------------------------------|---|

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]

5. Fire-fighting measures (continued)

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection.
Ventilate area.
Avoid breathing dust, fume, gas, mist, vapours, spray.
- For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

- Personal protection** : Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
- Handling** : Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Wash contaminated clothing before reuse.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]

7. Handling and storage (continued)

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
- Storage regulation** : Comply with applicable regulations.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

- Specific end use(s)** : None.

8. Exposure controls/personal protection

8.1. Exposure controls

- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
 - **Hand protection** : Wear protective gloves.
 - **Skin protection** : Wear suitable protective clothing.
 - **Eye protection** : Chemical goggles or face shield.
 - **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

- Occupational Exposure Limits** : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state at 20 °C** : Liquid.
- Colour** : Colorless
- Odour** : Characteristic.
- Odour threshold** : No data available.
- pH value** : No data available.
- Melting point [°C]** : -114.1°C
- Decomposition point [°C]** : N/A
- Critical temperature [°C]** : No data available.
- Auto-ignition temperature [°C]** : No data available.
- Flammability (solid, gas)** : Flammable.

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]
9. Physical and chemical properties (continued)

| | |
|--|------------------------|
| Flash point [°C] | : No data available. |
| Boiling point [°C] | : 78.5°C |
| Initial boiling point [°C] | : No data available. |
| Final boiling point [°C] | : No data available. |
| Evaporation rate | : N/A |
| Vapour pressure [20°C] | : No data available. |
| Vapour pressure mm/Hg | : N/A |
| Vapour density | : 1,59 |
| Density [g/cm ³] | : 0,98 |
| Relative density, gas (air=1) | : N/A |
| Relative density, liquid (water=1) | : N/A |
| Solubility in water [% weight] | : Easily soluble in co |
| Solubility in water | : No data available. |
| Log Pow octanol / water at 20°C | : No data available. |
| Solubility | : N/A |
| Viscosity at 40°C [mm ² /s] | : No data available. |

9.2. Other information

| | |
|------------------------------|----------------------|
| Explosive properties | : N/A |
| Explosion limits - upper [%] | : No data available. |
| Explosion limits - lower [%] | : No data available. |
| Oxidising properties | : No data available. |

10. Stability and reactivity
10.1. Reactivity

| | |
|------------|--------------------|
| Reactivity | : Not established. |
|------------|--------------------|

10.2. Chemical stability

| | |
|--------------------|--|
| Chemical stability | : Stable under recommended storage conditions. |
|--------------------|--|

10.3. Possibility of hazardous reactions

| | |
|---------------------|--------------------|
| Hazardous reactions | : Not established. |
|---------------------|--------------------|

10.4. Conditions to avoid

| | |
|---------------------|--|
| Conditions to avoid | : Direct sunlight. Extremely high or low temperatures. |
|---------------------|--|

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]
10. Stability and reactivity (continued)
10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.
 Thermal decomposition generates : Corrosive vapours.

11. Toxicological information
11.1. Information on toxicological effects

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

Acute toxicity

- **Inhalation** : Harmful if inhaled.
- **Dermal** : Harmful in contact with skin.
- **Ingestion** : Harmful if swallowed.

Corrosion : Causes severe skin burns and eye damage.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Causes damage to organ.
 Causes damage to organ.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]
12. Ecological information (continued)
12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

 General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information
14.1. Land transport (ADR-RID)

 Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.
 UN N° : 2924
 H.I. nr : 38
 ADR - Class : 3
 Labelling - Transport : 3 : Flammable liquid. 8 : Corrosive substance.

 ADR - Classification code : FC
 FC

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]

14. Transport information (continued)

ADR - Group : III
ADR - Packing instructions : P001 R001
ADR - Limited Quantity : 5 L
ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.
UN N° : 2924
IMO-IMDG - Class or division : 3 : Flammable liquid. (8 : Corrosive substance.)
IMO-IMDG - Packing group : III
IMO-IMDG - Packing instructions : P001
IMO-IMDG - Limited quantities : 5 L
IMO-IMDG - Marine pollution : Yes
EMS-Nr : F-E S-C

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.
UN N° : 2924
IATA - Class or division : 3 : Flammable liquid. (8 : Corrosive substance.)
IATA - Packing group : III
IATA - Passenger and Cargo Aircraft : ALLOWED
- Passenger and Cargo - Packing instruction : 354
- Passenger and Cargo - Maximum Quantity/Packing : 5 L
IATA - Cargo only : ALLOWED
- Cargo only - Packing instruction : 365
- Cargo only - Maximum Quantity/Packing : 60 L
IATA - Limited Quantities : 1 L
ERG-Nr : 3C

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.

REACH Restrictions - Annex XVII : With the exception of those listed below:
The components of this product are not subject to restrictions.
• C.I. Basic Red 9 : Annex XVII

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

List of relevant R phrases (heading 3) : R10 : Flammable.
R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed.
R34 : Causes burns.
R35 : Causes severe burns.
R45 : May cause cancer.
R48/20/21/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
R68 : Possible risks of irreversible effects.

List of full text of H-statements in section 3 : H226 : Flammable liquid and vapour.
H301 : Toxic if swallowed.
H311 : Toxic in contact with skin.
H314 : Causes severe skin burns and eye damage.
H318 : Causes serious eye damage.
H331 : Toxic if inhaled.
H341 : Suspected of causing genetic defects.
H350 : May cause cancer.
H373 : May cause damage to organs through prolonged or repeated exposure.
EUH071: Corrosive to respiratory tract.

Further information : None.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN DILUTE [STAINING SOLUTION(ZIEHL NEELSEN)]

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document