

# MATERIAL SAFETY DATA SHEET (MSDS)

# THYMOLPHTHALEIN INDICATOR SOLUTION

## 1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: THYMOLPHTHALEIN INDICATOR SOLUTION
Product code	: SI0311000250 CAS No: 125-20-2
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Use	: Industrial. For professional use only.
1.3. Details of the supplier of the safe	ty data sheet
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

### 2. Hazards identification -DSD

## 2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45				
Classification	: C; R35			
Hazard Class and Category Code(s),	<u>Regulation (EC) No 1272/2008 (CLP)</u>			
Health hazards	: Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314			
2.2. Label elements				
Labelling EC 67/548 or EC 1999/45				
Symbol(s)				
Symbol(s) R Phrase(s) S Phrase(s)	<ul> <li>: C : Corrosive</li> <li>: R35 : Causes severe burns.</li> <li>: S24 : Avoid contact with skin.</li> <li>S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> </ul>			

### **OM SHREE GANESHYA NAMAH**



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## THYMOLPHTHALEIN INDICATOR SOLUTION

Hazards identification -DSD (	continued)
Contains	S28 : After contact with skin, wash immediately with S35 : This material and its container must be disposed of in a safe way. S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection. S45 : In case of accident or if you feel unwell, seek medical advice immediately show the label when possible). S59 : Refer to manufacturer/supplier for information on recovery/recycling. : Ethanol - Water - THYMOLPHTHALEIN INDICATOR SOLUTION
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>
Hazard pictograms	
Signal words	: Danger
Hazard statements	: H314 : Causes severe skin burns and eye damage.
Precautionary statements	
Prevention	<ul> <li>P280: Wear protective gloves, protective clothing, eye protection, face protectior P260: Do not breathe dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling.</li> </ul>
• Response	<ul> <li>P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse.</li> </ul>
Storage	: P405: Store locked up.
<ul> <li>Disposal considerations</li> </ul>	<ul> <li>P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>
Contains	: Ethanol - Water - THYMOLPHTHALEIN INDICATOR SOLUTION
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vP substance according to Annex XIII of Regulation REACH.

## 3. Composition/information on ingredients

Substance / Preparation	: Preparation.					
Hazardous component(s)	: This	s product is h	azardous.			
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
THYMOLPHTHALEIN INDICATOR : SOLUTION	< 0.1 %					Not classified (DSD/DPD)  Not defined (GHS)



# MATERIAL SAFETY DATA SHEET (MSDS)

# THYMOLPHTHALEIN INDICATOR SOLUTION

3. Composition/information on ingredients (continued)							
Substance name		Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Ethanol	:	> 50 < 75 %	64-17-5	200-578-6	603-002-00-5		R10 C; R35
							 Skin Corr. 1A _ H314 Flam. Liq. 3 _ H226
Water	:	> 50 < 75 %	7732-18-5	231-791-2			Not classified (DSD/DPD)
							Not classified (GHS)

### 4. First aid measures

### 4.1. Description of first aid measures

Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.			
Skin contact	: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor.			
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.			
Ingestion	: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms relating to use	: Causes severe skin burns and eye damage.			
4.3. Indication of any immediate medical attention and special treatment needed				

## 5. Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.			
5.2. Special hazards arising from the substance or mixture				
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.			
5.3. Advice for fire-fighters				
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.			



## MATERIAL SAFETY DATA SHEET (MSDS)

# THYMOLPHTHALEIN INDICATOR SOLUTION

## 5. Fire-fighting measures (continued)

**Special procedures** 

: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

### 6. Accidental release measures

6.1. Personal precautions, protecti	ive equipment and emergency procedures
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for cont	ainment and cleaning up
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

7.4 Dressutions for sofe bandling

See section 8. Exposure controls/personal protection

7	Handling	and	storage
	nanunny	anu	Siviaye

7.1. Precautions for safe handling	
Handling	: Do not breathe dust, fume, gas, mist, vapours, spray. Avoid contact during pregnancy or while nursing. Wash thoroughly after handling.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
Storage regulation	: Comply with applicable regulations.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
<u>7.3. Specific end use(s)</u>	
Specific end use(s)	: None.

### **OM SHREE GANESHYA NAMAH**



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# THYMOLPHTHALEIN INDICATOR SOLUTION

### 8. Exposure controls/personal protection

### 8.1. Exposure controls

**Personal protection** 



- Personal protection
- Respiratory protection
- Hand protection
- Skin protection
- Eye protection
- Others

### 8.2. Control parameters

**Occupational Exposure Limits** 

: No data available.

: Wear approved mask.

: Wear protective gloves.

: Wear suitable protective clothing. : Chemical goggles or face shield.

: When using, do not eat, drink or smoke.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
•	•
Colour	: Colorless
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: Flammable.
Flash point [°C]	: No data available.
Boiling point [°C]	: N/A
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: N/A
Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 0,79
Relative density, gas (air=1)	: N/A





# MATERIAL SAFETY DATA SHEET (MSDS) THYMOLPHTHALEIN INDICATOR SOLUTION

## 9. Physical and chemical properties (continued)

Relative density, liquid (water=1) Solubility in water [% weight] Solubility in water	: N/A : Complete. : No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: No data available.
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

## 10. Stability and reactivity

<u>10.1. Reactivity</u>	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reactio	<u>ns</u>
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition products	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

## 11. Toxicological information

# 11.1. Information on toxicological effects

Page: 6

AN ISO 9001: 2015 CERTIFIED



# MATERIAL SAFETY DATA SHEET (MSDS)

THYMOLPHTHALEIN INDICATOR SOLUTION

## 11. Toxicological information (continued)

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: Based on available data, the classification criteria are not met.
Corrosion	: Causes severe skin burns and eye damage.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

## 12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
<u>12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB asses	sment
Results of PBT and vPvB assessmer	It : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.

### **OM SHREE GANESHYA NAMAH**



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) THYMOLPHTHALEIN INDICATOR SOLUTION

### 13. Disposal considerations

#### 13.1. Waste treatment methods

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 14. Transport information

### 14.1. Land transport (ADR-RID)

Proper shipping name	: FLAMMABLE LIQUID, N.O.S.
UN N°	: 1993
H.I. nr	: 30
ADR - Class	: 3
Labelling - Transport	: 3 : Flammable liquid.
	<b>A</b>

ADR - Classification code	
ADR - Group	
ADR - Packing instructions	
ADR - Limited Quantity	
ADR - Tunnel code	

: F1 : III : P001 R001 LP001 : 5 L

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



### 14.2. Sea transport (IMDG) [English only]

Proper shipping name	: FLAMMABLE LIQUID, N.O.S.
UN N°	: 1993
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P001 LP01
IMO-IMDG - Limited quantities	: 5 L
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-E S-E



# MATERIAL SAFETY DATA SHEET (MSDS)

# THYMOLPHTHALEIN INDICATOR SOLUTION

## 14. Transport information (continued)

### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name UN N°	: FLAMMABLE LIQUID, N.O.S. : 1993
IATA - Class or division	: 3 : Flammable liquid.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 355
- Passenger and Cargo - Maximum Quantity/Packing	: 60 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 366
- Cargo only - Maximum Quantity/ Packing	: 220 L
IATA - Limited Quantites	: 10 L
ERG-Nr	: 3L

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. ne
REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	: The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.

16. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading	3) : R10 : Flammable. R35 : Causes severe burns.

Page: 9

AN ISO 9001: 2015 CERTIFIED



## MATERIAL SAFETY DATA SHEET (MSDS)

# THYMOLPHTHALEIN INDICATOR SOLUTION

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

## DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED