

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

Product code : SI0311300125
CAS No: N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R23/24/25-R39/23/24/25

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Category 1 - Danger (CLP : STOT SE 1) H370
Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311
Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331
Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

2. Hazards identification -DSD (continued)

Symbol(s)	: T : Toxic
R Phrase(s)	: R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
S Phrase(s)	: S4 : Keep away from living quarters. S24 : Avoid contact with skin. S28 : After contact with skin, wash immediately with S35 : This material and its container must be disposed of in a safe way. S36/37 : Wear suitable protective clothing and gloves. S38 : In case of insufficient ventilation, wear suitable respiratory equipment. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). S59 : Refer to manufacturer/supplier for information on recovery/recycling.
Contains	: Methanol - Water - UNIVERSAL INDICATORSOLUTION

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words	: Danger
Hazard statements	: H301 : Toxic if swallowed. H311 : Toxic in contact with skin. H331 : Toxic if inhaled. H370 : Causes damage to organ.

Precautionary statements

• Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response	: P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor. P307+P311: IF EXPOSED : Call a POISON CENTER or doctor. P302+P352: IF ON SKIN : Wash with plenty of soap and water. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing.
• Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.
• Disposal considerations	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

2. Hazards identification -DSD (continued)

Contains : Methanol - Water - UNIVERSAL INDICATORSOLUTION

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Preparation.

Hazardous component(s) : This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
UNIVERSAL INDICATORSOLUTION	> 0.1 < 1 %		----	----	----	Not classified (DSD/DPD) Not classified (GHS)
Methanol	> 50 < 75 %	67-56-1	200-659-6	603-001-00-X	----	F; R11 T; R23/24/25-39/23/24/25 Flam. Liq. 2 _ H225 Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (oral) _ H301 STOT SE 1 _ H370
Water	> 50 < 75 %	7732-18-5	231-791-2	----	----	Not classified (DSD/DPD) Not classified (GHS)

4. First aid measures

4.1. Description of first aid measures

Inhalation : Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

Eye contact : Obtain medical attention if pain, blinking or redness persist. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

Ingestion : Rinse mouth. Do NOT induce vomiting. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Repeated exposure to this material can result in absorption through skin causing significant health hazard.
Causes damage to organ.
Danger of serious damage to health by prolonged exposure through inhalation.
Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

MATERIAL SAFETY DATA SHEET (MSDS)
UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)
4. First aid measures (continued)

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor. Specific treatment (see on this label).

5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection. Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

7. Handling and storage

7.1. Precautions for safe handling

- Handling** : Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapours, spray. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

- Specific end use(s)** : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection



- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
 - **Hand protection** : Wear protective gloves.
 - **Eye protection** : Chemical goggles or safety glasses.
 - **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

- Occupational Exposure Limits** : No data available.
- Occupational Exposure Limits** : Methanol : OEL (UK)-LTEL [ppm] : 200
Methanol : OEL (UK)-STEL [ppm] : 250
Methanol : ILV (EU) - 8 H - [mg/m³] : (260 Skin.)
Methanol : ILV (EU) - 8 H - [ppm] : (200 Skin.)
Methanol : HTP-värden - 8 H - [ppm] : 200
Methanol : HTP-värden - 15min - [ppm] : 250
Methanol : HTP-värden - 8 H - [mg/m³] : 270
Methanol : HTP-värden - 15min - [mg/m³] : 330
Methanol : NGV - [ppm] : 200
Methanol : NGV - [mg/m³] : 250
Methanol : KTV - [ppm] : 250

MATERIAL SAFETY DATA SHEET (MSDS)
UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)
8. Exposure controls/personal protection (continued)

Methanol : KTV - [mg/m³] : 350
 Methanol : VLA-ED [ppm] : 200
 Methanol : VLA-ED [mg/m³] : 266
 Methanol : VLA-EC [ppm] : 250
 Methanol : VLA-EC [mg/m³] : 333

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: Flammable.
Flash point [°C]	: No data available.
Boiling point [°C]	: N/A
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: >1
Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 0,93
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: In water, material soluble.
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: No data available.

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: No data available.

MATERIAL SAFETY DATA SHEET (MSDS)
UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)
9. Physical and chemical properties (continued)

Explosion limits - lower [%] : No data available.
 Oxidising properties : No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information
11.1. Information on toxicological effects

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

Acute toxicity

- Inhalation : Toxic if inhaled.
- Dermal : Toxic in contact with skin.
- Ingestion : Toxic if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

11. Toxicological information (continued)

Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Causes damage to organ.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Hazardous waste due to toxicity.

MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : METHANOL
UN N° : 1230
H.I. nr : 336
ADR - Class : 3
Labelling - Transport : 3 : Flammable liquid. 6.1 : Toxic substances.



ADR - Classification code : FT1
FT1

ADR - Group : II
ADR - Packing instructions : P001
ADR - Limited Quantity : 1 L
ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : METHANOL
UN N° : 1230
IMO-IMDG - Class or division : 3 : Flammable liquid. (6.1 : Toxic substances.)
IMO-IMDG - Packing group : II
IMO-IMDG - Packing instructions : P001
IMO-IMDG - Limited quantities : 1 L
IMO-IMDG - Marine pollution : No
EMS-Nr : F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : METHANOL
UN N° : 1230
IATA - Class or division : 3 : Flammable liquid. (6.1 : Toxic substances.)
IATA - Packing group : II
IATA - Passenger and Cargo Aircraft : ALLOWED

MATERIAL SAFETY DATA SHEET (MSDS)
UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)
14. Transport information (continued)

- Passenger and Cargo - Packing instruction	: 352
- Passenger and Cargo - Maximum Quantity/Packing	: 1 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 364
- Cargo only - Maximum Quantity/Packing	: 60 L
IATA - Limited Quantities	: 1 L
ERG-Nr	: 3L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment	: It has not been carried out.
----------------------------	--------------------------------

16. Other information

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3)	: R11 : Highly flammable. R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
List of full text of H-statements in section 3	: H225 : Highly flammable liquid and vapour. H301 : Toxic if swallowed. H311 : Toxic in contact with skin. H331 : Toxic if inhaled. H370 : Causes damage to organ.
Further information	: None.

MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document