

MATERIAL SAFETY DATA SHEET (MSDS) ACETONITRILE GRADIANT (METHYL CYANIDE)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name	: ACETONITRILE GRADIANT (METHYL CYANIDE)		
Product code	: SS0100601000		
Identification of the product	: Acetonitrile CAS No: 75-05-8 EC No :200-835-2 Annex No :608-001-00-3		
Chemical formula	: C2H3N		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
Company identification <u>1.4. Emergency telephone number</u>	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]		

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: F; R11 Xn; R20/21/22 Xi; R36
Hazard Class and Category Cod	<u>e(s), Regulation (EC) No 1272/2008 (CLP)</u>
Health hazards	: Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332 Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302
Physical hazards	: Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225
2.2. Label elements	

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ACETONITRILE GRADIANT (METHYL CYANIDE)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s)	: F : Highly flammable Xn : Harmful
R Phrase(s)	: R11 : Highly flammable. R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed. R36 : Irritating to eyes.
S Phrase(s)	: S1/2 : Keep locked up and out of reach of children. S16 : Keep away from sources of ignition - No smoking. S36/37 : Wear suitable protective clothing and gloves.
Contains	: Acetonitrile
Labelling Regulation EC 1272/2008 (C	<u>SLP)</u>
Hazard pictograms	
Signal words	: Danger
Hazard statements	 H225 : Highly flammable liquid and vapour. H302 : Harmful if swallowed. H312 : Harmful in contact with skin. H319 : Causes serious eye irritation. H332 : Harmful if inhaled.
Precautionary statements	
• General	 P102: Keep out of reach of children. P103: Read label before use. P101: If medical advice is needed, have product container or label at hand.
• Prevention	 P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical, ventilating, lighting,, equipment. P210: Keep away from heat, sparks, open flames or hot surfaces No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P233: Keep container tightly closed. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response	 P302+P352: IF ON SKIN : Wash with plenty of soap and water. P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

Page : 2



MATERIAL SAFETY DATA SHEET (MSDS)

ACETONITRILE GRADIANT (METHYL CYANIDE)

2. Hazards identification -DSD (continued)			
	P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P337+P313: If eye irritation persists: Get medical advice/attention. P370+P378: In case of fire: Use for extinction.		
Storage	: P403+P235: Store in well-ventilated place. Keep cool.		
Disposal considerations	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		
Contains	: Acetonitrile		
2.3. Other hazards			
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		

3. Composition/information on ingredients							
Substance / Preparation		: Acetonitrile					
		EC No :200-835-2 Annex No :608-001-00-3 Substance.					
Substance name		Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Acetonitrile	:	100 %	75-05-8	200-835-2	608-001-00-3		F; R11 Xn; R20/21/22 Xi; R36
							Flam. Liq. 2 _ H225 Acute Tox. 4 (skin) _ H312 Acute Tox. 4 (inhal) _ H332 Acute Tox. 4 (oral) _ H302 Eye irrit 2 _ H319

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation	Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.
Skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Specific treatment (see on this label). Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor.
Eye contact	: Get medical advice. If eye irritation persists : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	: Obtain emergency medical attention. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Page: 3



MATERIAL SAFETY DATA SHEET (MSDS)

ACETONITRILE GRADIANT (METHYL CYANIDE)

4. First aid measures (continued)		
Symptoms relating to use	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Causes serious eye irritation. Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard. 	
4.3. Indication of any immediate med	lical attention and special treatment needed	
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
. Fire-fighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the	<u>substance or mixture</u>	
Flammable class Hazardous combustion products	: Highly flammable liquid and vapour. : Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
Technical measures	: Use special care to avoid static electric charges.
Special precautions	: Remove ignition sources. No naked lights. No smoking.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

Page: 4



MATERIAL SAFETY DATA SHEET (MSDS) ACETONITRILE GRADIANT (METHYL CYANIDE)

6. Accidental release measures (continued)

6.3. Methods and material for containment and cleaning up

Clean up methods

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

. Handling and storage 7.1. Precautions for safe handling : Handle empty containers with care because residual vapours are flammable. Use Handling only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. : Provide good ventilation in process area to prevent formation of vapour. **Technical protective measures** Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting, ..., equipment. : No naked lights. No smoking. Special precautions 7.2. Conditions for safe storage, including any incompatibilities Storage : Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Ground/bond container and receiving equipment. Keep container tightly closed. Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. 7.3. Specific end use(s) : None. Specific end use(s)

8. Exposure controls/personal protection

8.1. Exposure controls Personal protection : Avoid all unnecessary exposure. • Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. • Hand protection : Wear protective gloves. • Eye protection : Chemical goggles or safety glasses. • Others : When using, do not eat, drink or smoke. 8.2. Control parameters : Wear protection

Page: 5



MATERIAL SAFETY DATA SHEET (MSDS) ACETONITRILE GRADIANT (METHYL CYANIDE)

8. Exposure controls/personal protection (continued)

Occupational Exposure Limits	: No data available.
VLA-ED [ppm]	: 40
VLA-ED [mg/m³]	: 68
VLA-EC [ppm]	: 60
VLA-EC [mg/m³]	: 102
ILV (EU) - 8 H - [ppm]	:(40 Skin.)
ILV (EU) - 8 H - [mg/m³]	:(70 Skin.)

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless
Odour	: Ether odor
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: -460C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 525
Flammability (solid, gas)	: Flammable. Highly flammable liquid and vapour.
Flash point [°C]	: 20C
Boiling point [°C]	: 81
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: 5,79
Vapour pressure [20°C]	: 9.7kPa
Vapour pressure mm/Hg	: 73
Vapour density	: 1,4
Density [g/cm3]	: 0,79
Relative density, gas (air=1)	: 1,4
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Complete.
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 7
Viscosity at 40°C [mm2/s]	: N/A

9.2. Other information

Page: 6



MATERIAL SAFETY DATA SHEET (MSDS) ACETONITRILE GRADIANT (METHYL CYANIDE)

9. Physical and chemical properties (continued)

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reaction	ons	
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.	

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Harmful if inhaled.
• Dermal	: Harmful in contact with skin.
- LD50 Rabbit dermal [mg/kg]	: 50
 Ingestion 	: Harmful if swallowed.
- Rat oral LD50 [mg/kg]	: 100
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation.



MATERIAL SAFETY DATA SHEET (MSDS) ACETONITRILE GRADIANT (METHYL CYANIDE)

11. Toxicological information (continued)

Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
<u>12.5. Results of PBT and vPvB asses</u>	ssment
Results of PBT and vPvB assessme	nt : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	 Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Handle empty containers with care because residual vapours are flammable.



MATERIAL SAFETY DATA SHEET (MSDS) ACETONITRILE GRADIANT (METHYL CYANIDE)

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name	: ACETONITRILE
UN N°	: 1648
H.I. nr	: 33
ADR - Class	: 3
Labelling - Transport	: 3 : Flammable liquid.
	•
ADR - Classification code	: F1
ADR - Group	: 11
ADR - Packing instructions	: P001 R001
ADR - Limited Quantity	: 1 L
ADR - Tunnel code	• •

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name	: ACETONITRILE
UN N°	: 1648
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P001
IMO-IMDG - Limited quantities	: 1 L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: ACETONITRILE
UN N°	: 1648
IATA - Class or division	: 3 : Flammable liquid.
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 353



MATERIAL SAFETY DATA SHEET (MSDS) ACETONITRILE GRADIANT (METHYL CYANIDE)

14. Transport information (continued)

- Passenger and Cargo - Maximum Quantity/Packing	:5L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 364
- Cargo only - Maximum Quantity/ Packing	: 60 L
IATA - Limited Quantites	:1L
ERG-Nr	: 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. ne
REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	The components of this product are not subject to restrictions.The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.

16. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	 PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3	 R11 : Highly flammable. R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed. R36 : Irritating to eyes.
List of full text of H-statements in section 3	 H225 : Highly flammable liquid and vapour. H302 : Harmful if swallowed. H312 : Harmful in contact with skin. H319 : Causes serious eye irritation. H332 : Harmful if inhaled.
Further information	: None.

storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we

Page : 10

ACETONITRILE GRADIANT (METHYL CYANIDE) OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
- the material by a properly trained person using this product.

End of document