

### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CYCLOHEXANONE LR**

## 1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u>			
Trade name	: CYCLOHEXANONE LR		
Product code	: SS0107300500		
Identification of the product	: Cyclohexanone CAS No :108-94-1 EC No :203-631-1 Annex No :606-010-00-7		
Chemical formula	: C6H10O		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@euvehem.com/core@euvehem.com		
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]		

## 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

## Classification EC 67/548 or EC 1999/45

Classification	: R10 Xn; R20			
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)				
	: Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332 : Flammable liquids - Category 3 - Warning (CLP : Flam. Liq. 3) H226			
2.2. Label elements				
Labelling EC 67/548 or EC 1999/45				



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

**CYCLOHEXANONE LR** 

# 2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)	: Xn : Harmful		
R Phrase(s)	: R10 : Flammable.		
	R20 : Harmful by inhalation.		
S Phrase(s)	: S2 : Keep out of the reach of children.		
Contains	S25 : Avoid contact with eyes. : Cyclohexanone		
Contains	. Cyclonexanone		
Labelling Regulation EC 1272/2008	( <u>CLP)</u>		
Hazard pictograms			
Signal words	: Warning		
Hazard statements	: H226 : Flammable liquid and vapour. H332 : Harmful if inhaled.		
Precautionary statements			
• General	<ul> <li>P102: Keep out of reach of children.</li> <li>P103: Read label before use.</li> <li>P101: If medical advice is needed, have product container or label at hand.</li> </ul>		
Prevention	<ul> <li>P240: Ground/bond container and receiving equipment.</li> <li>P241: Use explosion-proof electrical, ventilating, lighting,, equipment.</li> <li>P210: Keep away from heat, sparks, open flames or hot surfaces No smoking.</li> <li>P280: Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P261: Avoid breathing dust, fume, gas, mist, vapours, spray.</li> <li>P233: Keep container tightly closed.</li> </ul>		
• Response	<ul> <li>P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.</li> <li>P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P370+P378: In case of fire: Use for extinction.</li> </ul>		
Storage	: P403+P235: Store in well-ventilated place. Keep cool.		
<ul> <li>Disposal considerations</li> </ul>	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		
Contains	: Cyclohexanone		
2.3. Other hazards			
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CYCLOHEXANONE LR**

Substance / Preparation	CA EC An	clohexanone \S No :108-94 ; No :203-631 nex No :606-0 bstance.	-1			
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Cyclohexanone :	100 %	108-94-1	203-631-1	606-010-00-7		R10 Xn; R20
						 Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) H332

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures			
4.1. Description of first aid meas	sures		
Inhalation	: Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.		
Skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.		
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.		
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms relating to use	: Danger of serious damage to health by prolonged exposure through inhalation.		
4.3. Indication of any immediate medical attention and special treatment needed			
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		

## 5. Fire-fighting measures

<u>5.1. Extinguishing media</u>			
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
Surrounding fires	: Use water spray or fog for cooling exposed containers.		
5.2. Special hazards arising from the substance or mixture			
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.		



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CYCLOHEXANONE LR**

5. Fire-fighting measures (continued)		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

## 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures			
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.		
Technical measures	: Use special care to avoid static electric charges.		
Special precautions	: Remove ignition sources. No naked lights. No smoking.		
For non-emergency personnel	: Evacuate unnecessary personnel.		
6.2. Environmental precautions			
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up			
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.		
6.4. Deference to other costions			

### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and storage

### 7.1. Precautions for safe handling

Handling	<ul> <li>Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.</li> <li>Handle empty containers with care because residual vapours are flammable. Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Take precautionary measures against static discharge.</li> </ul>
Technical protective measures	Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Use explosion-proof electrical, ventilating, lighting,, equipment.
Special precautions	: No naked lights. No smoking.

# 7.2. Conditions for safe storage, including any incompatibilities



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CYCLOHEXANONE LR**

Storage	: Keep only in the original container in a cool, well ventilated place. Keep in fireproc place. Ground/bond container and receiving equipment. Keep container tightly closed.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	
Specific end use(s)	: None.

## 8. Exposure controls/personal protection

# 8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.		
<ul> <li>Respiratory protection</li> </ul>	: In case of insufficient ventilation, wear suitable respiratory equipment.		
<ul> <li>Hand protection</li> </ul>	: Wear protective gloves.		
Eye protection	: Chemical goggles or safety glasses.		
Others	: When using, do not eat, drink or smoke.		
8.2. Control parameters			
Occupational Exposure Limits	: No data available.		

# 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless to light yellow
Odour	: Odour like acetone & peppermint
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: -47 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 420 °C
Flammability (solid, gas)	: Flammable. Flammable liquid and vapour.
Flash point [°C]	: 44 °C
Boiling point [°C]	: 155 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

**CYCLOHEXANONE LR** 

# 9. Physical and chemical properties (continued)

Evaporation rate	: 0,29
Vapour pressure [20°C]	: 4.5 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: 3,4
Density [g/cm3]	: 0,947
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 15% in water @ 10C
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: 9,40%
Explosion limits - lower [%]	: 1,10%
Oxidising properties	: No data available.

# 10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reactio	<u>ns</u>
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition prod	ucts



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CYCLOHEXANONE LR**

## 10. Stability and reactivity (continued)

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

## 11. Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Harmful if inhaled.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

## 12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assessment	

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CYCLOHEXANONE LR**

# 12. Ecological information (continued)

12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Handle empty containers with care because residual vapours are flammable.

## 14. Transport information

## 14.1. Land transport (ADR-RID)

Proper shipping name	: CYCLOHEXANONE
UN N°	: 1915
H.I. nr	: 30
ADR - Class	: 3
Labelling - Transport	: 3 : Flammable liquid.
	•
ADR - Classification code	: F1
ADR - Group	: 111
ADR - Packing instructions	: P001 R001 LP001
ADR - Limited Quantity	: 5 L
ADR - Tunnel code	: D/E : Bulk or tank carriage

D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

	0
I.	

## 14.2. Sea transport (IMDG) [English only]

Proper shipping name

: CYCLOHEXANONE



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CYCLOHEXANONE LR**

## 14. Transport information (continued)

UN N°	: 1915
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P001 LP01
IMO-IMDG - Limited quantities	: 5 L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-E S-D

### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: CYCLOHEXANONE
UN N°	: 1915
IATA - Class or division	: 3 : Flammable liquid.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 355
- Passenger and Cargo - Maximum Quantity/Packing	: 60 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 366
- Cargo only - Maximum Quantity/ Packing	: 220 L
IATA - Limited Quantites	: 10 L
ERG-Nr	: 3L

## 15. Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	: The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **CYCLOHEXANONE LR**

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED