

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u>			
Trade name	: CYCLOHEXANONE LR		
Product code	: SS0107302500		
Identification of the product	: Cyclohexanone CAS No :108-94-1 EC No :203-631-1 Annex No :606-010-00-7		
Chemical formula	: C6H10O		
1.2. Relevant identified uses of the s	substance or mixture and uses advised against		
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Emeil ID: info@muycham.com/core@ouycham.com		
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]		

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: R10 Xn; R20			
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)				
	: Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332 : Flammable liquids - Category 3 - Warning (CLP : Flam. Liq. 3) H226			
2.2. Label elements				
Labelling EC 67/548 or EC 1999/45				



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)	: Xn : Harmful		
R Phrase(s)	: R10 : Flammable.		
	R20 : Harmful by inhalation.		
S Phrase(s)	: S2 : Keep out of the reach of children.		
Contains	S25 : Avoid contact with eyes. : Cyclohexanone		
Contains	. Cyclonexanone		
Labelling Regulation EC 1272/2008	(<u>CLP)</u>		
Hazard pictograms			
Signal words	: Warning		
Hazard statements	: H226 : Flammable liquid and vapour. H332 : Harmful if inhaled.		
Precautionary statements			
• General	 P102: Keep out of reach of children. P103: Read label before use. P101: If medical advice is needed, have product container or label at hand. 		
Prevention	 P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical, ventilating, lighting,, equipment. P210: Keep away from heat, sparks, open flames or hot surfaces No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P233: Keep container tightly closed. 		
• Response	 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P370+P378: In case of fire: Use for extinction. 		
Storage	: P403+P235: Store in well-ventilated place. Keep cool.		
 Disposal considerations 	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		
Contains	: Cyclohexanone		
2.3. Other hazards			
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

Substance / Preparation	CA EC An	clohexanone \S No :108-94 ; No :203-631 nex No :606-0 bstance.	-1			
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Cyclohexanone :	100 %	108-94-1	203-631-1	606-010-00-7		R10 Xn; R20
						 Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) H332

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures			
4.1. Description of first aid meas	sures		
Inhalation	: Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.		
Skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.		
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.		
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms relating to use	: Danger of serious damage to health by prolonged exposure through inhalation.		
4.3. Indication of any immediate medical attention and special treatment needed			
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		

5. Fire-fighting measures

<u>5.1. Extinguishing media</u>			
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.		
5.2. Special hazards arising from the substance or mixture			
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.		
5.3. Advice for fire-fighters			



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

5. Fire-fighting measures (continued)			
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.		
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.		

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures			
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.		
Technical measures	: Use special care to avoid static electric charges.		
Special precautions	: Remove ignition sources. No naked lights. No smoking.		
For non-emergency personnel	: Evacuate unnecessary personnel.		
6.2. Environmental precautions			
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up			
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.		
6.4. Deference to other costions			

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling	 Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Handle empty containers with care because residual vapours are flammable. Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Take precautionary measures against static discharge.
Technical protective measures	Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Use explosion-proof electrical, ventilating, lighting,, equipment.
Special precautions	: No naked lights. No smoking.

7.2. Conditions for safe storage, including any incompatibilities



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

Storage	: Keep only in the original container in a cool, well ventilated place. Keep in fireproc place. Ground/bond container and receiving equipment. Keep container tightly closed.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	
Specific end use(s)	: None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.		
 Respiratory protection 	: In case of insufficient ventilation, wear suitable respiratory equipment.		
 Hand protection 	: Wear protective gloves.		
Eye protection	: Chemical goggles or safety glasses.		
Others	: When using, do not eat, drink or smoke.		
8.2. Control parameters			
Occupational Exposure Limits	: No data available.		

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless to light yellow
Odour	: Odour like acetone & peppermint
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: -47 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 420 °C
Flammability (solid, gas)	: Flammable. Flammable liquid and vapour.
Flash point [°C]	: 44 °C
Boiling point [°C]	: 155 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

9. Physical and chemical properties (continued)

Evaporation rate	: 0,29
Vapour pressure [20°C]	: 4.5 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: 3,4
Density [g/cm3]	: 0,947
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 15% in water @ 10C
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: 9,40%
Explosion limits - lower [%]	: 1,10%
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reactio	<u>ns</u>
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition prod	ucts



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

10. Stability and reactivity (continued)

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Harmful if inhaled.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assessment	

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

12. Ecological information (continued)

12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Handle empty containers with care because residual vapours are flammable.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name	: CYCLOHEXANONE
UN N°	: 1915
H.I. nr	: 30
ADR - Class	: 3
Labelling - Transport	: 3 : Flammable liquid.
	•
ADR - Classification code	: F1
ADR - Group	: 111
ADR - Packing instructions	: P001 R001 LP001
ADR - Limited Quantity	: 5 L
ADR - Tunnel code	: D/E : Bulk or tank carriage

D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

	0
I.	

14.2. Sea transport (IMDG) [English only]

Proper shipping name

: CYCLOHEXANONE



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

14. Transport information (continued)

UN N°	: 1915
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P001 LP01
IMO-IMDG - Limited quantities	: 5 L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: CYCLOHEXANONE
UN N°	: 1915
IATA - Class or division	: 3 : Flammable liquid.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 355
- Passenger and Cargo - Maximum Quantity/Packing	: 60 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 366
- Cargo only - Maximum Quantity/ Packing	: 220 L
IATA - Limited Quantites	: 10 L
ERG-Nr	: 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	: The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED