

MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : CYCLOHEXANONE AR

Annex No :606-010-00-7

Chemical formula : C6H10O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

SUVCHEM SUVCHEM

Company identification Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : R10

Xn; R20

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

Physical hazards : Flammable liquids - Category 3 - Warning (CLP : Flam. Liq. 3) H226

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

2. Hazards identification -DSD (continued)

Symbol(s)

×

Symbol(s) : Xn : Harmful R **Phrase(s)** : R10 : Flammable.

R20: Harmful by inhalation.

S Phrase(s) : S2 : Keep out of the reach of children.

S25: Avoid contact with eyes.

Contains : Cyclohexanone

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms





Signal words : Warning

Hazard statements : H226 : Flammable liquid and vapour.

H332 : Harmful if inhaled.

Precautionary statements

• **General** : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

Prevention : P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P233: Keep container tightly closed.

• Response : P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position

comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated

clothing. Rinse skin with water/shower.

P370+P378: In case of fire: Use for extinction.

• **Storage** : P403+P235: Store in well-ventilated place. Keep cool.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

Contains : Cyclohexanone

2.3. Other hazards



MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

2. Hazards identification -DSD (continued)

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Cvclohexanone

> CAS No: 108-94-1 EC No: 203-631-1 Annex No: 606-010-00-7

Substance.

Substance name Cyclohexanone

Contents 100 %

CAS No 108-94-1

EC No 203-631-1

Annex No 606-010-00-7 REACH Ref.

Classification R10 Xn; R20

Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) _ H332

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at

rest in a position comfortable for breathing. Call a POISON CENTER or doctor if

you feel unwell.

: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap Skin contact

and water.

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or Eye contact

redness persist.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Danger of serious damage to health by prolonged exposure through inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.



MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

5. Fire-fighting measures (continued)

Unsuitable extinguishing media

: Do not use a heavy water stream.

Surrounding fires

: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

: Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire

: Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures

: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders

: Equip cleanup crew with proper protection.

Ventilate area.

Technical measures

: Use special care to avoid static electric charges.

Special precautions

: Remove ignition sources. No naked lights. No smoking.

For non-emergency personnel

: Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions

: Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling

: Wash hands and other exposed areas with mild soap and water before eat, drink or

smoke and when leaving work.

Handle empty containers with care because residual vapours are flammable. Use



MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

7. Handling and storage (continued)

only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist,

vapours, spray. Take precautionary measures against static discharge.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed. Use only

non-sparking tools. Use explosion-proof electrical, ventilating, lighting, ...,

equipment.

Special precautions : No naked lights. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep in fireproof

place. Ground/bond container and receiving equipment. Keep container tightly

closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

• Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.
 Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Colour: Clear Colorless to light yellowOdour: Odour like acetone & peppermint

Odour threshold : No data available.
pH value : No data available.



MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

9. Physical and chemical properties (continued)

Melting point [°C] : -47 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : 420 °C

Flammability (solid, gas) : Flammable.

Flammable liquid and vapour.

Flash point [°C] : 44 °C

Boiling point [°C] : 155 °C

Initial boiling point [°C] : N/A

Final boiling point [°C] : N/A

Evaporation rate : 0,29

Vapour pressure [20°C] : 4.5 hPa at 20 °C

Vapour pressure mm/Hg : N/A
Vapour density : 3,4
Density [g/cm3] : 0,947
Relative density, gas (air=1) : N/A
Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : 15% in water @ 10C

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : 9,40%
Explosion limits - lower [%] : 1,10%

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions



MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

10. Stability and reactivity (continued)

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame. Overheating.

Heat. Sparks.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

May release flammable gases.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

• Inhalation : Harmful if inhaled.

: Based on available data, the classification criteria are not met. Dermal : Based on available data, the classification criteria are not met. Ingestion Corrosion : Based on available data, the classification criteria are not met. Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Carcinogenicity Toxic for reproduction : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. STOT-single exposure STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard** : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability



MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

12. Ecological information (continued)

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Handle empty containers with care because residual vapours are flammable.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : CYCLOHEXANONE

UN N° : 1915 H.I. nr : 30 ADR - Class : 3

Labelling - Transport : 3 : Flammable liquid.





MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

14. Transport information (continued)

ADR - Classification code : F1
ADR - Group : III

ADR - Packing instructions : P001 R001 LP001

ADR - Limited Quantity : 5 L

ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and

E. Other carriage: Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name : CYCLOHEXANONE

UN N° : 1915

IMO-IMDG - Class or division : 3 : Flammable liquid.

IMO-IMDG - Packing group : III

IMO- IMDG - Packing instructions : P001 LP01

IMO-IMDG - Limited quantities : 5 L

IMO-IMDG - Marine pollution : No

EMS-Nr : F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : CYCLOHEXANONE

UN N° : 1915

IATA - Class or division : 3 : Flammable liquid.

IATA - Packing group : |||

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 358

instruction

- Passenger and Cargo - Maximum : 60 L

Quantity/Packing

IATA - Cargo only : ALLOWED - Cargo only - Packing instruction : 366

- Cargo only - Maximum Quantity/ : 220 L

Packing

IATA - Limited Quantites : 10 L ERG-Nr : 3L



MATERIAL SAFETY DATA SHEET (MSDS)

CYCLOHEXANONE AR

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document