

#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

# **DIETHYLENE GLYCOL AR (DIGOL)**

### 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name	: DIETHYLENE GLYCOL AR (DIGOL)
Product code	: SS0107800500
Identification of the product	: Diethylene glycol
· · · · · · · · · · · · · · · · · · ·	CAS No :111-46-6
	EC No :203-872-2
	Annex No :603-140-00-6
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
Use	: Industrial. For professional use only.
<u>1.3. Details of the supplier of the s</u>	afety data sheet
Company identification	SUVCHEM
Company identification	Chaitanya Tower, 2nd Floor, Office # 206,
	Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062,
	Maharashtra. India.
	Contact: +91 22 28725393 / 94 / 95
	Email ID: info@suvchem.com/care@suvchem.com
<b>1.4. Emergency telephone number</b>	[
Phone no.	:+ 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]
2. Hazards identification -DSD	
2.1. Classification of the substanc	e or mixture

### Classification EC 67/548 or EC 1999/45

Classification	: R19
	Xn; R20

### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302<br/>Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Page: 1



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) DIETHYLENE GLYCOL AR (DIGOL)

2. Hazards identification -DSD (continued)				
Symbol(s)	: Xn : Harmful			
R Phrase(s)	: R19 : May form explosive peroxides. R20 : Harmful by inhalation. R22 : Harmful if swallowed.			
S Phrase(s)	: S24 : Avoid contact with skin. S25 : Avoid contact with eyes.			
Contains	: Diethylene glycol			
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>			
Hazard pictograms				
Signal words	: Warning			
Hazard statements	: H302 : Harmful if swallowed. H332 : Harmful if inhaled.			
Precautionary statements				
Prevention	: P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.			
• Response	<ul> <li>P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.</li> <li>P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.</li> </ul>			
<ul> <li>Disposal considerations</li> </ul>	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.			
Contains	: Diethylene glycol			
2.3. Other hazards				
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.			

3. Composition/information on ingredients						
Substance / Preparation	CA EC An	thylene glyco S No :111-46 No :203-872 nex No :603- bstance.	-6 -2			
Substance name Diethylene glycol ː	Contents 100 %	<b>CAS No</b> 111-46-6	<b>EC No</b> 203-872-2	Annex No 603-140-00-6	REACH Ref.	Classification R19 Xn; R20 Acute Tox. 4 (inhal)H332 Acute Tox. 4 (oral)H302 ExplEUH019

Page : 2



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) DIETHYLENE GLYCOL AR (DIGOL)

### 3. Composition/information on ingredients (continued)

Contains no other components or impurities which will influence the classification of the product.

4.	First	aid	measures
----	-------	-----	----------

### 4.1. Description of first aid measures

Inhalation	: Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.			
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.			
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.			
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms relating to use	: Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard.			
4.3. Indication of any immediate medical attention and special treatment needed				
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).			

### 5. Fire-fighting measures

5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.			
5.2. Special hazards arising from the substance or mixture				
Flammable class	: May form explosive peroxides.			
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. May form flammable/ explosive vapour-air mixture.			
5.3. Advice for fire-fighters				
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.			
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. Evacuate area. DO NOT fight fire when fire reaches explosives.			

Page: 3



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) DIETHYLENE GLYCOL AR (DIGOL)

### 6. Accidental release measures

6.1. Personal precautions, protectiv	ve equipment and emergency procedures
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
Technical measures	: Use special care to avoid static electric charges.
Special precautions	: Reacts vigorously with strong oxidizers and acids. No naked lights. No smoking. Remove ignition sources.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for conta	ainment and cleaning up
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage	
-------------------------	--

### 7.1. Precautions for safe handling

Handling	: Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing dust, fume, gas, mist, vapours, spray.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed.
Special precautions	: No naked lights. No smoking.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. Keep in fireproof place.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Oxidizing agent. Heat sources.
Storage - away from <u>7.3. Specific end use(s)</u>	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Oxidizing agent.



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) DIETHYLENE GLYCOL AR (DIGOL)

### 8. Exposure controls/personal protection

8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
<ul> <li>Respiratory protection</li> </ul>	: In case of insufficient ventilation, wear suitable respiratory equipment.
<ul> <li>Hand protection</li> </ul>	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

## 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless
Odour	: Odorless
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: -10 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 2290C
Flammability (solid, gas)	: N/A
Flash point [°C]	: 123 °C
Boiling point [°C]	: 123 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 0.04 hPa (20 °C)
Vapour pressure mm/Hg	: N/A
Vapour density	: 3,66
Density [g/cm3]	: 1.118 g/mL at 25 °C
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Infinitely soluble
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) DIETHYLENE GLYCOL AR (DIGOL)

Solubility	:5 - 8 at 500 g/l at	
Viscosity at 40°C [mm2/s]	: N/A	
9.2. Other information		
Explosive properties	: N/A May form explosive peroxides.	
Explosion limits - upper [%]	: 12,30%	
Explosion limits - lower [%]	: 2%	
Oxidising properties	: No data available.	
). Stability and reactivity		

Reactivity: Not established.10.2. Chemical stability.: Stable under recommended storage conditions.Chemical stability: Stable under recommended storage conditions.10.3. Possibility of hazardous reactions: Stable under recommended storage conditions.Hazardous reactions: Not established.10.4. Conditions to avoid: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Direct sunlight. Overheating.10.5. Incompatible materials: Strong acids. Strong bases. Oxidizing agent.10.6. Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.					
Chemical stability       : Stable under recommended storage conditions.         10.3. Possibility of hazardous reactions       : Not established.         Hazardous reactions       : Not established.         10.4. Conditions to avoid       : Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Direct sunlight. Overheating.         10.5. Incompatible materials       : Strong acids. Strong bases. Oxidizing agent.         10.6. Hazardous decomposition products       : Fumes. Carbon monoxide. Carbon dioxide.	Reactivity	: Not established.			
10.3. Possibility of hazardous reactions         Hazardous reactions       : Not established.         10.4. Conditions to avoid       : Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Direct sunlight. Overheating.         10.5. Incompatible materials       : Strong acids. Strong bases. Oxidizing agent.         10.6. Hazardous decomposition products       : Fumes. Carbon monoxide. Carbon dioxide.	10.2. Chemical stability				
Hazardous reactions: Not established.10.4. Conditions to avoid: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Direct sunlight. Overheating.Conditions to avoid: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Direct sunlight. Overheating.10.5. Incompatible materials: Strong acids. Strong bases. Oxidizing agent.Materials to avoid: Strong acids. Strong bases. Oxidizing agent.10.6. Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.	Chemical stability	: Stable under recommended storage conditions.			
10.4. Conditions to avoid       : Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Direct sunlight. Overheating.         10.5. Incompatible materials       : Strong acids. Strong bases. Oxidizing agent.         10.6. Hazardous decomposition products       : Fumes. Carbon monoxide. Carbon dioxide.	10.3. Possibility of hazardous reactions				
Conditions to avoid: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Direct sunlight. Overheating.10.5. Incompatible materialsMaterials to avoid: Strong acids. Strong bases. Oxidizing agent.10.6. Hazardous decomposition productsHazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.	Hazardous reactions	: Not established.			
Direct sunlight. Overheating.         10.5. Incompatible materials         Materials to avoid       : Strong acids. Strong bases. Oxidizing agent.         10.6. Hazardous decomposition products         Hazardous decomposition products         : Fumes. Carbon monoxide. Carbon dioxide.	10.4. Conditions to avoid				
Materials to avoid       : Strong acids. Strong bases. Oxidizing agent.         10.6. Hazardous decomposition products         Hazardous decomposition products         : Fumes. Carbon monoxide. Carbon dioxide.	Conditions to avoid				
Oxidizing agent. <u>10.6. Hazardous decomposition products</u> Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.	10.5. Incompatible materials				
Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.	Materials to avoid				
	10.6. Hazardous decomposition products				
	Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.			

# 11. Toxicological information

### 11.1. Information on toxicological effects

### Acute toxicity

- Inhalation
- : Harmful if inhaled.

Page: 6



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) DIETHYLENE GLYCOL AR (DIGOL)

## 11. Toxicological information (continued)

<ul><li>Dermal</li><li>Ingestion</li></ul>	<ul> <li>Based on available data, the classification criteria are not met.</li> <li>Harmful if swallowed.</li> </ul>
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

### 12. Ecological information

<u>12.1. Toxicity</u>		
Toxicity information	: Not established.	
<u> 12.2. Persistence - degradability</u>		
Persistence - degradability	: Biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	t : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
15. Disposal considerations		
13.1. Waste treatment methods		
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Hazardous waste due to potential risk of explosion.	

Page: 7

AN ISO 9001: 2015 CERTIFIED



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) DIETHYLENE GLYCOL AR (DIGOL)

## 13. Disposal considerations (continued)

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information				
14.1. Land transport (ADR-RID)				
General information	: Not regulated.			
<u>14.2. Sea transport (IMDG) [English or</u>	<u>14.2. Sea transport (IMDG) [English only]</u>			
General information	: Not regulated.			
14.3. Air transport (ICAO-IATA) [Englis	<u>sh only]</u>			
General information	: Not regulated.			
15. Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.			
<b>REACH Restrictions - Annex XVII</b>	: The components of this product are not subject to restrictions.			
<b>REACH</b> Authorisation - Annex XIV	: The components of this product are not subject to authorization.			
15.2. Chemical Safety Assessment				
Chemical Safety Assessment	: It has not been carried out.			
16. Other information				
Revision	: Revision - See : *			
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative			
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006			
List of relevant R phrases (heading 3) : R19 : May form explosive peroxides. R20 : Harmful by inhalation. R22 : Harmful if swallowed.				
List of full text of H-statements in section 3	: H302 : Harmful if swallowed. H332 : Harmful if inhaled. EUH019: May form explosive peroxides.			



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **DIETHYLENE GLYCOL AR (DIGOL)**

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :9