

# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : BENZALDEHYDE LR

Product code : SS0112802500
Identification of the product : Benzaldehyde CAS No :100-52-7 EC No :202-860-4

Annex No :605-012-00-5

Chemical formula : C7H6O / (CHCHCHCHC(CHO)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

SUVCHEM

Company identification Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xn; R22

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

## 2. Hazards identification -DSD (continued)

Symbol(s)

×

Symbol(s) : Xn : Harmful

R Phrase(s) : R22 : Harmful if swallowed.

**S Phrase(s)** : S2 : Keep out of the reach of children.

S24: Avoid contact with skin.

Contains : Benzaldehyde

## Labelling Regulation EC 1272/2008 (CLP)

**Hazard pictograms** 



Signal words : Warning

**Hazard statements** : H302 : Harmful if swallowed.

**Precautionary statements** 

• **General** : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

• **Prevention** : P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel

unwell.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

Contains : Benzaldehyde

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

### 3. Composition/information on ingredients

Substance / Preparation : Benzaldehyde

CAS No :100-52-7 EC No :202-860-4 Annex No :605-012-00-5

Substance.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

## 3. Composition/information on ingredients (continued)

 Substance name
 Contents
 CAS No
 EC No
 Annex No
 REACH Ref.
 Classification

 Benzaldehyde
 :
 100 %
 100-52-7
 202-860-4
 605-012-00-5
 --- Xn; R22

Contains no other components or impurities which will influence the classification of the product.

Acute Tox. 4 (oral) \_ H302

### 4. First aid measures

#### 4.1. Description of first aid measures

**Inhalation** : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. Call a

POISON CENTER or doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Swallowing a small quantity of this material will result in serious health hazard.

## 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media**: Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory

protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

#### 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For emergency responders** : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

### 7. Handling and storage

## 7.1. Precautions for safe handling

**Handling** : Do not eat, drink or smoke when using this product. Wash thoroughly after

handling.

**Technical protective measures**: Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

## 8. Exposure controls/personal protection

#### 8.1. Exposure controls

**Personal protection** : Avoid all unnecessary exposure.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

## 8. Exposure controls/personal protection (continued)

Respiratory protection
 Hand protection
 Wear approved mask.
 Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.
 Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

### 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Colour : Pale yellow

Odour : characteristic odor
Odour threshold : No data available.
pH value : Not applicable.

Melting point [°C] : -26 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

Flash point [°C] : 64 °C

Boiling point [°C] : 177 - 179 °C Initial boiling point [°C] : 177 °C Final boiling point [°C] : 179 °C Evaporation rate : N/A Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : 1 mm Hg @ 260C

Vapour density : 3,66

Density [g/cm3] : 1,05

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Slightly soluble in

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : 5,9 Viscosity at 40°C [mm2/s] : N/A



# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

## 9. Physical and chemical properties (continued)

## 9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : 8,50%
Explosion limits - lower [%] : 1,40%

Oxidising properties : No data available.

## 10. Stability and reactivity

### 10.1. Reactivity

**Reactivity** : Not established.

10.2. Chemical stability

**Chemical stability** : Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions** : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

**Hazardous decomposition products**: Fumes. Carbon monoxide. Carbon dioxide.

## 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Dermal
 Based on available data, the classification criteria are not met.

• Ingestion : Harmful if swallowed.

**Corrosion** : Based on available data, the classification criteria are not met.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

## 11. Toxicological information (continued)

Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. **Toxic for reproduction** : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard** 

## 12. Ecological information

## 12.1. Toxicity

**Toxicity information** : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

## 13. Disposal considerations

## 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

## 14. Transport information

### 14.1. Land transport (ADR-RID)

Proper shipping name : BENZALDEHYDE

UN N° : 1990 H.I. nr : 90 ADR - Class : 9

**Labelling - Transport** : 9 : Miscellaneous dangerous substances and articles.



ADR - Classification code : M11
ADR - Group : III

ADR - Packing instructions : P001 R001 LP001

ADR - Limited Quantity : 5 L

**ADR - Tunnel code** 



: E : Passage forbidden through tunnels of category E.

### 14.2. Sea transport (IMDG) [English only]

Proper shipping name : BENZALDEHYDE

UN N° : 1990

**IMO-IMDG - Class or division** : 9 : Miscellaneous dangerous substances and articles.

IMO-IMDG - Packing group : |||

IMO- IMDG - Packing instructions : P001 LP01

IMO-IMDG - Limited quantities : 5 L
IMO-IMDG - Marine pollution : No
EMS-Nr : F-A S-A

## 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : BENZALDEHYDE

**UN N°** : 1990

IATA - Class or division : 9 : Miscellaneous dangerous substances and articles.

IATA - Packing group : III

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing :

instruction



# MATERIAL SAFETY DATA SHEET (MSDS)

### **BENZALDEHYDE LR**

### 14. Transport information (continued)

- Passenger and Cargo - Maximum : 100 L

Quantity/Packing

- Cargo only - Packing instruction : 964
- Cargo only - Maximum Quantity/ : 220 L

**Packing** 

IATA - Limited Quantites : 30 kg G ERG-Nr : 9N

## 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.

regulations/legislation specific for the

substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

#### 16. Other information

Revision - See : \*

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

List of relevant R phrases (heading 3): R22: Harmful if swallowed.

List of full text of H-statements in : H302: Harmful if swallowed.

section 3

Further information : None.



# MATERIAL SAFETY DATA SHEET (MSDS)

## **BENZALDEHYDE LR**

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

## **DISCLAIMER:**

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**