

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) 2-CHLOROANILINE (FOR SYNTHESIS)

1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name : 2-CHLOROANILINE (FOR SYNTHESIS) **Product code** : SS0114100500 Identification of the product : 2-CHLOROANILINE 98% CAS No :95-51-2 1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only. 1.3. Details of the supplier of the safety data sheet SUVCHEM **Company identification** Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com 1.4. Emergency telephone number Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: T; R23/24/25
	R33
	N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards	: Specific Target Organ Toxicity - Single exposure - Category 2 - Warning (CLP : STOT SE 2) H371 Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331
Environmental hazards	: Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410

Page: 1



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) 2-CHLOROANILINE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

2.2. Label elements

Symbol(s)	
Symbol(s)	: T : Toxic N : Dangerous for the environment
R Phrase(s)	 R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R33 : Danger of cumulative effects. R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R68 : Possible risks of irreversible effects.
S Phrase(s)	 S28 : After contact with skin, wash immediately with S36/37 : Wear suitable protective clothing and gloves. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). S60 : This material and its container must be disposed of as hazardous waste. S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.
Labelling Regulation EC 1272/2008 (CL	<u>.P)</u>
Hazard pictograms	
Signal words	: Danger
-	: H301 : Toxic if swallowed. H311 : Toxic in contact with skin. H331 : Toxic if inhaled. H371 : May cause damage to organs. H410 : Very toxic to aquatic life with long lasting effects.
Precautionary statements	
• Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P273: Avoid release to the environment. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response	: P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor. P302+P352: IF ON SKIN : Wash with plenty of soap and water. P309+P311: IF exposed or if you feel unwell : Call a POISON CENTER or doctor. P391: Collect spillage.

Page: 2



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) 2-CHLOROANILINE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)		
	P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing.	
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.	
 Disposal considerations 	 P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients	
Substance / Preparation	: 2-CHLOROANILINE 98% CAS No :95-51-2 Substance.
Contains no other components o	r impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label).	
Skin contact	: Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label).	
Eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.	
Ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label).	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Danger of serious damage to health by prolonged exposure through inhalation. May cause damage to organs. 	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) 2-CHLOROANILINE (FOR SYNTHESIS)

4. First aid measures (continued)	
	Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate med	lical attention and special treatment needed
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
5. Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.
Surrounding fires 5.2. Special hazards arising from the	: Use water spray or fog for cooling exposed containers.
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
6. Accidental release measures	

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	 Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Page: 4



MATERIAL SAFETY DATA SHEET (MSDS)

2-CHLOROANILINE (FOR SYNTHESIS)

6. Accidental release measures (c	ontinuou)	
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.	
6.4. Reference to other sections		
See section 8. Exposure controls/personal protection		
7. Handling and storage		
7.1. Precautions for safe handling		
Personal protection	: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapours, spray.	
Handling	: Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, in	cluding any incompatibilities	
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.	
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
<u>7.3. Specific end use(s)</u>		
Specific end use(s)	: None.	
8. Exposure controls/personal protection		
8.1. Exposure controls		
Personal protection	: Avoid all unnecessary exposure.	
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.	
 Hand protection 	: Wear protective gloves.	
Eye protection	: Chemical goggles or safety glasses.	
Others	: When using, do not eat, drink or smoke.	

8.2. Control parameters

-

Occupational Exposure Limits : No data available.

Page : 5



MATERIAL SAFETY DATA SHEET (MSDS) 2-CHLOROANILINE (FOR SYNTHESIS)

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless to yellowish liquid
Odour	: Characteristic odour
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: - 2 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 500°C
Flammability (solid, gas)	: N/A
Flash point [°C]	: 108 °C
Boiling point [°C]	: 209 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: 4,41
Density [g/cm3]	: 1,213
Relative density, gas (air=1)	: 1
Relative density, liquid (water=1)	: 1,213
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity



MATERIAL SAFETY DATA SHEET (MSDS) 2-CHLOROANILINE (FOR SYNTHESIS)

10. Stability and reactivity (continued)	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reaction	<u>ns</u>
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition products	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Toxic if inhaled.
• Dermal	: Toxic in contact with skin.
Ingestion	: Toxic if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Causes damage to organ.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.



MATERIAL SAFETY DATA SHEET (MSDS) 2-CHLOROANILINE (FOR SYNTHESIS)

12. Ecological information			
<u>12.1. Toxicity</u>			
Toxicity information	: Very toxic to aquatic life with long lasting effects.		
<u> 12.2. Persistence - degradability</u>			
Persistence - degradability	: May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential			
Bioaccumulative potential	: Not established.		
<u>12.4. Mobility in soil</u>			
Mobility in soil	: Not established.		
12.5. Results of PBT and vPvB assessment			
Results of PBT and vPvB assessm	nent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		
12.6. Other adverse effects			
Environmental precautions	: Avoid release to the environment.		
13. Disposal considerations			
13.1. Waste treatment methods			
General	 Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 		
Special precautions	: Hazardous waste due to toxicity.		
14. Transport information			
14.1. Land transport (ADR-RID)			
Proper shipping name	: CHLOROANILINES, LIQUID		

Page: 8

: 2019

: 60

UN N°

H.I. nr



MATERIAL SAFETY DATA SHEET (MSDS) 2-CHLOROANILINE (FOR SYNTHESIS)

14. Transport information (continued)

ADR - Limited Quantity

ADR - Tunnel code

<u> </u>	/
ADR - Class	: 6.1
Labelling - Transport	: 6.1 : Toxic substances.
ADR - Classification code	: T1
ADR - Group	: 11
ADR - Packing instructions	: P001

: 100 ML

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name	: CHLOROANILINES, LIQUID
UN N°	: 2019
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P001
IMO-IMDG - Limited quantities	: 100 ml
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: CHLOROANILINES, LIQUID
UN N°	: 2019
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 654
- Passenger and Cargo - Maximum Quantity/Packing	: 5 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 662



MATERIAL SAFETY DATA SHEET (MSDS)

2-CHLOROANILINE (FOR SYNTHESIS)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED