

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

Product code : SS0116602500

Identification of the product : 2-aminoethanol  
CAS No :141-43-5  
EC No :205-483-3  
Annex No :603-030-00-8

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM  
Chaitanya Tower, 2nd Floor, Office # 206,  
Siddharth Nagar, S.V. Road,  
Goregaon (West), Mumbai - 400062,  
Maharashtra, India.  
Contact: +91 22 28725393 / 94 / 95  
Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : Xn; R20/21/22  
C; R34

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314  
Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318  
Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312  
Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332  
Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

##### 2.2. Label elements

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)**
**2. Hazards identification -DSD (continued)**
Labelling EC 67/548 or EC 1999/45
**Symbol(s)**

**Symbol(s)**

: C : Corrosive

**R Phrase(s)**


 : R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed.  
 R34 : Causes burns.

**S Phrase(s)**

 : S1/2 : Keep locked up and out of reach of children.  
 S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.  
 S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).

**Contains**

: 2-aminoethanol

Labelling Regulation EC 1272/2008 (CLP)
**Hazard pictograms**

**Signal words**

: Danger

**Hazard statements**

 : H314 : Causes severe skin burns and eye damage.  
 H302 : Harmful if swallowed.  
 H312 : Harmful in contact with skin.  
 H332 : Harmful if inhaled.

**Precautionary statements**
**• General**

 : P102: Keep out of reach of children.  
 P103: Read label before use.  
 P101: If medical advice is needed, have product container or label at hand.

**• Prevention**

 : P280: Wear protective gloves, protective clothing, eye protection, face protection.  
 P271: Use only outdoors or in a well-ventilated area.  
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.  
 P264: Wash thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.

**• Response**

 : P302+P352: IF ON SKIN : Wash with plenty of soap and water.  
 P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.  
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.  
 P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.  
 P363: Wash contaminated clothing before reuse.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

#### 2. Hazards identification -DSD (continued)

- **Storage** : P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : 2-aminoethanol

#### 2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

**Substance / Preparation** : 2-aminoethanol  
CAS No :141-43-5  
EC No :205-483-3  
Annex No :603-030-00-8  
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
2-aminoethanol	100 %	141-43-5	205-483-3	603-030-00-8	----	Xn; R20/21/22 C; R34 ----- Skin Corr. 1B _ H314 Eye Dam 1 _ H318 Acute Tox. 4 (skin) _ H312 Acute Tox. 4 (inhal) _ H332 Acute Tox. 4 (oral) _ H302

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

- Inhalation** : Specific treatment is urgent (see on this label). Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.
- Skin contact** : Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label). Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.
- Eye contact** : Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
- Ingestion** : Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

##### 4.2. Most important symptoms and effects, both acute and delayed

## MATERIAL SAFETY DATA SHEET (MSDS)

### ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

#### 4. First aid measures (continued)

**Symptoms relating to use** : Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Repeated exposure to this material can result in absorption through skin causing significant health hazard.  
Danger of serious damage to health by prolonged exposure through inhalation.  
Swallowing a small quantity of this material will result in serious health hazard.  
Corrosive to respiratory tract.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
**Unsuitable extinguishing media** : Do not use a heavy water stream.  
**Surrounding fires** : Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.  
Thermal decomposition generates : Corrosive vapours.

##### 5.3. Advice for fire-fighters

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.  
**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

**For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.  
**For non-emergency personnel** : Evacuate unnecessary personnel.

##### 6.2. Environmental precautions

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

## MATERIAL SAFETY DATA SHEET (MSDS)

### ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

#### 6. Accidental release measures (continued)

##### 6.3. Methods and material for containment and cleaning up

**Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

##### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

**Handling** : Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use only outdoors or in a well-ventilated area.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

##### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.  
Do not store in corrodable metal.

**Storage regulation** : Comply with applicable regulations.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

##### 7.3. Specific end use(s)

**Specific end use(s)** : None.

#### 8. Exposure controls/personal protection

##### 8.1. Exposure controls

**Personal protection** : Avoid all unnecessary exposure.

- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or face shield.
- **Others** : When using, do not eat, drink or smoke.

##### 8.2. Control parameters

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)**
**8. Exposure controls/personal protection (continued)**

Occupational Exposure Limits : No data available.

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless
Odour	: Ammonia odor
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: 10 - 11 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 780 °C
Flammability (solid, gas)	: N/A
Flash point [°C]	: 86 °C
Boiling point [°C]	: 170 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: <1
Vapour pressure [20°C]	: 0.3 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: 2,1
Density [g/cm <sup>3</sup> ]	: 1,012
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Miscible in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 12.1
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: 17%
Explosion limits - lower [%]	: 2,50%
Oxidising properties	: No data available.

## MATERIAL SAFETY DATA SHEET (MSDS)

### ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

#### 10. Stability and reactivity

##### 10.1. Reactivity

Reactivity : Not established.

##### 10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

##### 10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

##### 10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

##### 10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

##### 10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.  
 Thermal decomposition generates : Corrosive vapours.

#### 11. Toxicological information

##### 11.1. Information on toxicological effects

##### Acute toxicity

- Inhalation : Harmful if inhaled.
- Dermal : Harmful in contact with skin.
- Ingestion : Harmful if swallowed.

##### Corrosion

: Causes severe skin burns and eye damage.  
 Causes serious eye damage.  
 Corrosive to respiratory tract.

##### Irritation

: Based on available data, the classification criteria are not met.

##### Sensitization

: Based on available data, the classification criteria are not met.

##### Mutagenicity

: Based on available data, the classification criteria are not met.

##### Carcinogenicity

: Based on available data, the classification criteria are not met.

##### Toxic for reproduction

: Based on available data, the classification criteria are not met.

##### STOT-single exposure

: Based on available data, the classification criteria are not met.

## MATERIAL SAFETY DATA SHEET (MSDS)

### ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

#### 11. Toxicological information (continued)

STOT-repeated exposure : Based on available data, the classification criteria are not met.  
 Aspiration hazard : Based on available data, the classification criteria are not met.

#### 12. Ecological information

##### 12.1. Toxicity

Toxicity information : Not established.

##### 12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

##### 12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

##### 12.4. Mobility in soil

Mobility in soil : Not established.

##### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

##### 12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

#### 13. Disposal considerations

##### 13.1. Waste treatment methods

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 14. Transport information

##### 14.1. Land transport (ADR-RID)



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

### MATERIAL SAFETY DATA SHEET (MSDS)

## ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

#### 14. Transport information (continued)

Proper shipping name : ETHANOLAMINE or ETHANOLAMINE SOLUTION  
UN N° : 2491  
H.I. nr : 80  
ADR - Class : 8  
Labelling - Transport : 8 : Corrosive substance.



ADR - Classification code : C7  
ADR - Group : III  
ADR - Packing instructions : P001 R001 LP001  
ADR - Limited Quantity : 5 L  
ADR - Tunnel code : E : Passage forbidden through tunnels of category E.



#### 14.2. Sea transport (IMDG) [English only]

Proper shipping name : ETHANOLAMINE or ETHANOLAMINE SOLUTION  
UN N° : 2491  
IMO-IMDG - Class or division : 8 : Corrosive substance.  
IMO-IMDG - Packing group : III  
IMO-IMDG - Packing instructions : P001 LP01  
IMO-IMDG - Limited quantities : 5 L  
IMO-IMDG - Marine pollution : No  
EMS-Nr : F-A S-B

#### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ETHANOLAMINE or ETHANOLAMINE SOLUTION  
UN N° : 2491  
IATA - Class or division : 8 : Corrosive substance.  
IATA - Packing group : III  
IATA - Passenger and Cargo Aircraft : ALLOWED  
- Passenger and Cargo - Packing instruction : 852  
- Passenger and Cargo - Maximum Quantity/Packing : 5 L

## MATERIAL SAFETY DATA SHEET (MSDS)

### ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)

#### 14. Transport information (continued)

IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 856
- Cargo only - Maximum Quantity/ Packing	: 60 L
IATA - Limited Quantities	: 1 L
ERG-Nr	: 8L

#### 15. Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

##### 15.2. Chemical Safety Assessment

Chemical Safety Assessment	: It has not been carried out.
----------------------------	--------------------------------

#### 16. Other information

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3)	: R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed. R34 : Causes burns.
List of full text of H-statements in section 3	: H302 : Harmful if swallowed. H312 : Harmful in contact with skin. H314 : Causes severe skin burns and eye damage. H318 : Causes serious eye damage. H332 : Harmful if inhaled. EUH071: Corrosive to respiratory tract.
Further information	: None.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**ETHANOLAMINE (MONO) AR (FOR SYNTHESIS)**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**