

MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name	: UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)		
Product code	: SI0311300500 CAS No: N/A		
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against		
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95		
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com		
Phone no.	:+ 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]		

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification	: T; R23/24/25-R39/23/24/25
Hazard Class and Category	<u> Code(s), Regulation (EC) No 1272/2008 (CLP)</u>
Health hazards	: Specific Target Organ Toxicity - Single exposure - Category 1 - Danger (CLP : STOT SE 1) H370 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331 Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301
2.2. Label elements	

Labelling EC 67/548 or EC 1999/45

Symbol(s)





MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

Hazards identification -DSD (continueu)
Symbol(s)	: T : Toxic
R Phrase(s)	: R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalati in contact with skin and if swallowed.
S Phrase(s)	 : S4 : Keep away from living quarters. S24 : Avoid contact with skin. S28 : After contact with skin, wash immediately with S35 : This material and its container must be disposed of in a safe way. S36/37 : Wear suitable protective clothing and gloves. S38 : In case of insufficient ventilation, wear suitable respiratory equipment. S45 : In case of accident or if you feel unwell, seek medical advice immediately show the label when possible). S59 : Refer to manufacturer/supplier for information on recovery/recycling.
Contains	: Methanol - Water - UNIVERSAL INDICATORSOLUTION
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>
Hazard pictograms	
Signal words	: Danger
Hazard statements	: H301 : Toxic if swallowed. H311 : Toxic in contact with skin. H331 : Toxic if inhaled. H370 : Causes damage to organ.
Precautionary statements	
Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protectior P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response	 P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor. P307+P311: IF EXPOSED : Call a POISON CENTER or doctor. P302+P352: IF ON SKIN : Wash with plenty of soap and water. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing.
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.
Disposal considerations	 P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

2. Hazards identification -DSD (continued)

Contains

: Methanol - Water - UNIVERSAL INDICATORSOLUTION

2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

Substance / Preparation Hazardous component(s)		: Pre	paration.				
		: This product is hazardous.					
Substance name		Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
UNIVERSAL	:	> 0.1 < 1 %					Not classified (DSD/DPD)
INDICATORSOLUTION							Not classified (GHS)
Methanol	:	> 50 < 75 %	67-56-1	200-659-6	603-001-00-X		F; R11 T; R23/24/25-39/23/24/25
							Flam. Liq. 2 _ H225 Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H33 Acute Tox. 3 (inhal) _ H33 Acute Tox. 3 (oral) _ H301 STOT SE 1 _ H370
Water	:	> 50 < 75 %	7732-18-5	231-791-2			Not classified (DSD/DPD
							Not classified (GHS)

4. First aid measures

4.1. Description of first aid measures

Inhalation	: Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Remove to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.
Eye contact	: Obtain medical attention if pain, blinking or redness persist. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	 Rinse mouth. Do NOT induce vomiting. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms relating to use	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Causes damage to organ. Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

4. First aid measures (continued)	
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor. Specific treatment (see on this label).
5. Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from the	e substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

<u> </u>	
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up
Clean up methods	: On land, sweep or shovel into suitable containers. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

7. Handling and storage

7.1. Precautions for safe handling

Handling	: Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapours, spray. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
<u>7.3. Specific end use(s)</u>	
Specific end use(s)	: None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection



Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	 In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
 Hand protection 	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.
Occupational Exposure Limits	: Methanol : OEL (UK)-LTEL [ppm] : 200 Methanol : OEL (UK)-STEL [ppm] : 250 Methanol : ILV (EU) - 8 H - [mg/m ³] : (260 Skin.) Methanol : ILV (EU) - 8 H - [ppm] : (200 Skin.) Methanol : HTP-värden - 8 H - [ppm] : 200 Methanol : HTP-värden - 15min - [ppm] : 250 Methanol : HTP-värden - 8 H - [mg/m ³] : 270

Methanol : HTP-värden - 8 H - [mg/m³] : 270

- Methanol : HTP-värden 15min [mg/m³] : 330 Methanol : NGV - [ppm] : 200
- Methanol : NGV [mg/m³] : 250
 - Methanol : KTV [ppm] : 250

Page: 5

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

8. Exposure controls/personal protection (continued)

Methanol : KTV - [mg/m³] : 350 Methanol : VLA-ED [ppm] : 200 Methanol : VLA-ED [mg/m³] : 266 Methanol : VLA-EC [ppm] : 250 Methanol : VLA-EC [mg/m³] : 333

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: Flammable.
Flash point [°C]	: No data available.
Boiling point [°C]	: N/A
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: >1
Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 0,93
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: In water, material soluble.
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: No data available.
9.2. Other information	
Fundacius ano setias	· NI/A
Explosive properties	: N/A
Explosion limits - upper [%]	: No data available.



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

9. Physical and chemical properties (continued)		
Explosion limits - lower [%] Oxidising properties	: No data available. : No data available.	
10. Stability and reactivity		
<u>10.1. Reactivity</u>		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition prod	ucts	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	

11. Toxicological information

11.1. Information on toxicological effects

: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
: Toxic if inhaled.
: Toxic in contact with skin.
: Toxic if swallowed.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

11. Toxicological information (co	ntinued)
Toxic for reproduction STOT-single exposure STOT-repeated exposure Aspiration hazard	: Based on available data, the classification criteria are not met. : Causes damage to organ. : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met.
12. Ecological information	
<u>12.1. Toxicity</u>	
Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPv substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Hazardous waste due to toxicity.



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name UN N° H.I. nr ADR - Class Labelling - Transport	: METHANOL : 1230 : 336 : 3 : 3 : Flammable liquid. 6.1 : Toxic substances.
ADR - Classification code	: FT1 FT1
ADR - Group	: 11
ADR - Packing instructions	: P001
ADR - Limited Quantity	: 1 L
ADR - Tunnel code	

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name	: METHANOL
UN N°	: 1230
IMO-IMDG - Class or division	: 3 : Flammable liquid. (6.1 : Toxic substances.)
IMO-IMDG - Packing group	: II
IMO- IMDG - Packing instructions	: P001
IMO-IMDG - Limited quantities	: 1 L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: METHANOL
UN N°	: 1230
IATA - Class or division	: 3 : Flammable liquid. (6.1 : Toxic substances.)
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

14. Transport information (continued)

- Passenger and Cargo - Packing instruction	: 352
- Passenger and Cargo - Maximum Quantity/Packing	:1L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 364
- Cargo only - Maximum Quantity/	: 60 L
Packing	
IATA - Limited Quantites	:1L
ERG-Nr	: 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. In the second
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	

Chemical Safety Assessment : It has not been carried out.

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading	3) : R11 : Highly flammable. R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalatior in contact with skin and if swallowed.
List of full text of H-statements in section 3	 H225 : Highly flammable liquid and vapour. H301 : Toxic if swallowed. H311 : Toxic in contact with skin. H331 : Toxic if inhaled. H370 : Causes damage to organ.
Further information	: None.



MATERIAL SAFETY DATA SHEET (MSDS)

UNIVERSAL INDICATOR SOLUTION pH 4-11 (WITH COLOUR CHART)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document